


Global GreenTagEPD Program: Compliant to EN15804+A2 2019



Compact Laminate 13mm Multipurpose & Multipurpose Impressions 332 Bay Rd, Cheltenham Victoria 3192, Australia Laminex

### Laminex

**Compact Laminate** 

**Mandatory Disclosures** 

**EPD** type **Product Range** 

Cradle to grave A1 to C4 + D

**Compact Laminate** 

**EPD Number** LGLP04 2023EP

**Code Name** Multipurpose Impressions 13mm **Valid Until** 

**Issue Date** 

29 July 2023 29 July 2028

LGLP05 2023EP

Multipurpose 13mm



**Demonstration of Verification** 

**PCR** 

**Product Photograph** 

> Standard EN 15804+A2 2019 serves as core Product Category Rules (PCR) [1]. Wall and Ceiling Linings Sub-PCR WCL:2023 as well as Fitted Cabinetry Sub-PCR FIC:2023 also applies [2 and 3].

LCA Developed by Delwyn Jones, The Evah Institute

**☑** Internal

LCA Reviewed by Direshni Naiker The Evah Institute



EPD Reviewed by David Baggs, Global GreenTag

International Pty Ltd

**☑** External

Third Party Verifiera Mathilde Vlieg Malaika LCT

a. Independent external verification of the declaration and data, mandatory for business-to-consumer communication according to ISO 14025:2010 [2].

Communication

This EPD discloses potential environmental outcomes compliant with EN 15804 for business-to-business communication.

Comparability

Construction product EPDs may not be comparable if not EN15804 compliant. Different program EPDs may not be comparable. Comparability is further dependent on the product category rules and data source used.

Reliability

LCIA results are relative expressions that do not predict impacts on category endpoints, exceeding of thresholds, safety margins or risks.

**Owner** 

This EPD is the property of the declared manufacturer.

**Explanations** 

Further explanatory information is available at info@globalgreentag.com or by contacting epd@globalgreentag.com.

**EPD Program Operator** 

Global GreenTag International Pty Ltd L38, 71 Eagle St., Brisbane City QLD 4000 Australia

Phone: +61 (0)7 33 999 686 http://www.globalgreentag.com **LCA and EPD Producer** 

**Ecquate Pty Ltd** PO Box 123 Thirroul NSW 2515 Australia Phone: +61 (0)7 5545 0998

http://www.ecquate.com

#### **Declaration Owner**

Laminex Industries 90-94 Tram Road, Doncaster VIC 3108 Australia Phone: +61 132 136 http://www.laminex.com.au







### Laminex

**Compact Laminate** 

#### **Program Description**

EPD type	Cr	Cradle to grave A1 to C4 + D as defined by EN 15804 [1]																		
System boundary		The system boundary with nature includes material and energy acquisition, processing, manufacture, transport, installation, use plus waste arising to end of life.																		
Stages included	St	tages	s A1-	3 A4	-5, B1-4	, C	1 to	C2	and	d C4	D1 to	o D3								
Stages excluded	N	o sta	ige w	as ex	kcluded	but	flov	NS 8	and	resu	lts fo	r B5-l	37,	C3 a	and	D3 v	vere a	all ze	ro.	
Scope Depiction		Figure 1 depicts all modules being declared including some with zero results. Any module not declared (MND) does not indicate a zero result.																		
Model		Actual Scenarios Potential					tial													
Information					Buildin	g L	ife (	Cycl	le A	sses	smer	nt					Sup	plem	entary	
Stages	Р	rodu	ıct	Cor	struct				U	se			F	nd-d	of-Lif	·e			& load	
Data Modules				00.	iotraot		F	ab	ric		Ope	erate	_		,,,,	•	beyond system			
<b>Unit Operations</b>	A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D1	D2	D3	
Cradle to Gate+ Options & Grave	Resources	Transport	Manufacture	Transport	Construct	Use	Maintain	Repair	Replace	Refurbish	Energy use	Water use	Demolish	Transport	Process Waste	Disposal	Reuse	Recovery	Recyding	

Figure 1 EPD Life Cycle Modules Cradle to Grave

#### **Data Sources**

Primary Data	Data was collected from primary sources 2019 to 2022 including the manufacturer and suppliers' standards, locations, logistics, technology, market share, management system in accordance with EN ISO 14044:2006, 4.3.2, [4]. All are biochemical-physical allocated none are economically allocated.
A1-A3 Stage inclusions	Operations include all known raw material acquisition, refining, processing plus scrap or material reuse from prior systems; electricity generated from all sources with extraction, refining & transport plus secondary fuel energy and recovery processes. Also, transport to factory gate; manufacture of inputs, ancillary material, product, packaging, maintenance, replacement plus flows leaving at end-of-waste boundary and fate of all flows at end of life.
Variability	Significant differences of average LCIA results are declared.
Chemicals of Concern	Contains no substances in the European Chemicals Agency "Authorised or Candidate Lists of Substances of Very High Concern" (SVHCs).

#### **Data Quality**

Data cut-off & quality criteria complies with EN 15804 [1] The LCA used background data aged <10 years and quality parameters tabled below.

Background	<b>Data Quality</b>	Parameters and Uncertainty (U)							
Correlation	Metric σg	U ±0.01	U ±0.05	U ±0.10	U ±0.20				
Reliability	Reporting	Site Audit	Expert verify	Region	Sector				
	Sample	>66% trend	>25% trend	>10% batch	>5% batch				
Completion	Including	>50%	>25%	>10%	>5%				
Completion	Cut-off	0.01%w/w	0.05%w/w	0.1%w/w	0.5%w/w				
Temporal	Data Age	<3 years	≤5 years	<7.5 years	<10 years				
Temporar	Duration	>3 years	<3 years	<2 years	1 year				
Technology	Typology	Actual	Comparable	In Class	Convention				
Geography	Focus	Process	Line	Plant	Corporate				
	Range	Continent	Nation	Plant	Line				
	Jurisdiction	Representation is Global. Africa, North America, Europe, Pacific Rim							

### Laminex

**Compact Laminate** 

#### **Product Information**

The Laminex Group is a leading manufacturer, distributor and marketer of decor board and surfaces.

Range Names	Compact Laminate					
Brand Name & Code	Multipurpose Impressions 13mm	Multipurpose 13mm				
Coverage	18.46kg/m <sup>2</sup>	18.46kg/m <sup>2</sup>				
Factory warranty	0 years interior residential and commercial use					
Manufacturer address	Laminex Industries 332 Bay Rd., Cheltenham VIC 3192 Australia					
Site representation	Australasia					
Geographical Area	Use and disposal as for Australasia					
Application	Benchtops, Cabinetry & Wall Linings					
Function in Building	Benchtop, Cabinetry & Wall Linings					
Lifetime [5,6]	20 years Reference Service Life (RSL) [ISO 15686]					
Declared unit	Compact Laminate product inside buildings					
Functional unit	20 years interior use of declared product/kg cradle to grave					

#### **Product Components**

This section summarises factory components, functions, source nation and % mass share. In product content listed below the % mass has a ±5% range and a confidence interval that is 90% certain to contain true population means at any time. Listing such 90±5% certainty considers normal resource acquisition, supply chain, sedimentation, seasonal, manufacturing and product variation over this EPD's validity period. This also allows for intellectual property protection whilst ensuring fullest possible transparency.

Function	Component	Cradle	Impressions %	Multipurpose %		
Filler	Cellulose Fibre	Global	>66 <67	>66 <68		
Binder	Phenol Formaldehyde	Germany	>31 <32	>30 <32		
Other Agents	Plasticiser, catalyst, biocide, wetting & release agents	Global	each <1.0	each <1.0		
Packaging						
Crate	Timber	Australia	>3.0 <4.0			
Pallet	Timber	Australia	>1.5 <2.0 >1.0 <1.5			
Wrapping etc	Polymers	Global				
Coverboards	Medium density fibreboard	Australia	>0.	1 <0.2		
Straps & Tape	Polyester	Global	>0.09	5 < 0.10		

#### **Product Functional & Technical Performance Information**

This section provides manufacturer specifications and additional information.

Specifications, Maintenance, Fire, Safety & Installation	https://www.laminex.com.au/trade
AS/NZS standard classification	Group 3
Panel dimensions length*width ±10mm	3.6*1.5m or 3.6*0.75m
VOC Specific Area Emission Rate	0.5mg/m²/hr

### Laminex


**Compact Laminate** 

#### System Analysis Scope and Boundaries

Stages A1 to 3 model actual operations. Stage A4 to C4 are model scenarios.

Typical scenarios are assumed to forecast unit operations as described in the next section.

Figure 2. shows included processes in a cradle to grave system boundary to end of life fates to unshown beyond the boundary reuse, recycling or landfill grave.



**Figure 2. Product Process Flow Chart** 

### Laminex

**Compact Laminate** 

#### **Scenarios for Modules/Functional Unit**

Stages A1 to A3 model actual operations. This section defines scenarios A4 to D3. C3 Waste Treatment has no flows.

Phase	Operation	Type specified	Amount	Type specified	Amount
	Transport to Site	25t semi-trailer	60 km	85% Capacity	Full back load
	Long distance road	25t semi-trailer	600km	85% Capacity	Full back load
A4 Transport	Continental freight rail	Diesel train	600km	85% Capacity	Full back load
Transport	Container shipping	Factory to CBD	1,200km	85% Capacity	Full back load
	Volume capacity (<1 ≥1)	Utilisation factor	1	Uncompressed	Un-nested
	Ancillaries	Adhesive	0.025kg	Edge trim	0.0001kg
	Packing	Cardboard	0.005kg	Polymer	0.00001kg
A5	Water & Energy	Town water	0.5litre	Grid power	0.0002 MJ
	Waste on site	Trims	0.05kg	All packaging	As shown kg
	Scrap collection & route	25t semi-trailer	60 km	to landfill	In LCA report
	Emissions	Nil to air & water	0.0kg	All from landfill	In LCA report
	Maker's specification	URL Declared	Specified	Clean cycle	Weekly
B2 Maintain	Ancillaries	Wipes	Negligible	Detergent	0.007kgpa
Wallitalli	Surface Washdown	Town water	1.95kgpa	Net to drain	1.90kgpa
	Typical practice	Damaged parts	0.05kg	Worn parts	Same 5%
B3	Maker's specification	As per website	Specified	Freight to site	As A5
Repair	Energy input & source	No excess	0.0MJpa	Packaging	As A5
C1	Typical practice	Remove worn	0.05kg	Collect Separate	0.05kg
Demolish	Collection process	In site waste	0.40kg	Separate to reuse	0.0kg
C2 Transport	Typical practice	25t truck road	50km	85% capacity	No back load
C3 Waste Treatment	Typical practice	No waste treated	0.0kg	Not for energy	0.0kg
	Typical practice	Product specific	0.05kg	Collect separately	0.05kg
C4 Dispose	Typical practice	Worn to landfill	5%	All emissions	mass share
Dispose	Recovery system	No recycling	0.0kg	Not for energy	0.0kg
D1 Reuse	Typical practice	Reuse	95%	Patch 5%	0.05kg
D2 Recover	Typical practice	Recover	100%	Cleaning	sweep
D3 Recycle	None typically	At 60 years	Nil	None	0%

### Laminex

**Compact Laminate** 

#### **Environmental Impact Terminology**

The United Nations reports only a few decades are left to resolve accelerating climate emergency and extinction crises. It is a call to action to all people to reverse the loss of climate and biodiversity security from human development in all activity [16]. Key environmental damages contributing to risks of ecological and community loss and collapse are tabled below with common names and remedies for each indicator.

Climate change from anthropo- genic infrared forced global warming

Greenhouse gases absorb infra-red radiation. This heat reduces thermal energy differentials, from equator to poles, forcing ocean current and wind circulation to blend and regulate climate. Weakly blended "lumpier" weather has more frequent, extreme heat wave, fire-storm, cyclone, rain-storm, flood and blizzard events. Accumulation of carbon dioxide, natural gas methane, nitrous oxides and volatile organic compounds from burning fossil fuels causes global warming. Forest and wilderness growth absorbing air-borne carbon in biomass can drawdown such accumulation. Urgent renewable energy reliance is vital in time to avoid imminent tipping points and the worsening "climate emergency".

### Ozone layer depletion

Stratospheric ozone loss weakens the planet's solar shield so more shorter wavelength ultraviolet (UVB) light reaching earth damages plants and increases malignant melanoma and skin cancer in humans and animals. Chlorofluorocarbons, hydrochlorofluorocarbons (HCFC), hydrobromofluorocarbons, carbon tetrachloride, chlorobromomethane, methyl chloroform, methyl bromide and halon gas cause ozone layer loss. To repair the "ozone hole" reliance on ozone-safe refrigerants, aerosols and solvents is essential to avoid further its depletion and enable accumulation of naturally-formed ozone.

# Acidification of air, land and waters

Acidification in the atmosphere reduces soil and waterway pH, impedes nitrogen fixation vital for plant growth and inhibits natural decomposition. It increases rates and incidence of fish kills, forest loss and deterioration of buildings and materials. Chief synthetic causes of "acid rain" are emissions of sulphur and nitrogen oxides, hydrochloric and hydrofluoric acids and ammonia from burning fossil fuels polluting precipitation of rain and snow world-wide.

# Eutrophication of terrestrial, freshwater and marine life

Eutrophication from excessively high macronutrient levels added to natural waters promotes excessive plant growth that severely reduces oxygen, water and habitat security for aquatic and terrestrial organisms across related ecosystems. Chief synthetic cause of "*algal blooms*" is nitrogen (N, NOx, NH<sub>4</sub>) and phosphorus (P, PO<sub>4</sub><sup>3-</sup>) in rain run-off over-fertilised land catchments.

### Photochemical ozone creation

Tropospheric photochemical ozone, called "summer smog" near ground level, is created from natural and synthetic compounds in UV sunlight. Low concentration smog damages vegetation and crops. High concentration smog is hazardous to human health. Chief synthetic causes are nitrogen oxides, carbon monoxide and volatile organic compounds (VOC) pollutants. Avoiding reliance on dirtiest coal fuel and volatile chemicals has reduced smog incidence in many areas globally.

# Depletion of minerals, metals & water

Abiotic depletion of finite mineral resources increases time, effort and money required to obtain more resources to the point of extinction of naturally viable reserves. This can limit access to available, valuable and scarce elements vital for human-life. The youth movement "extinction rebellion" calls on adults to secure climate, material reserves and biodiversity for current and future generations.

# Depletion of fossil fuel reserves

Abiotic depletion of resources by consuming finite oil, natural gas, coal and yellowcake fossil fuel reserves leaves current and future generations suffering limited available, accessible, plentiful, essential valuable as well as scarce raw material, medicinal, chemical, feedstock and fuel stock. Approaching "peak oil" acknowledged fossil fuel reserves are finite and the need for decision-makers to act to avoid market instability, insecurity and or oil and gas wars.

### Laminex

**Compact Laminate** 

#### **Glossary of Impact Assessment Terms, Methods and Units**

Acronyms, methods and units of impact potentials plus inventory inputs and outputs, are defined below

reservation, methode and arms of impact po	tormalo prao	involvery inpute and eatpate, are ac	miod bolott
Impact Potentials	Acronym	Description of Methods	Units
Climate Change biogenic	GWP bio	GWP biogenic [7]	kg CO <sub>2eq</sub>
Climate Change Iuluc	GWP <sub>luluc</sub>	GWP land use & change [7]	kg CO <sub>2eq</sub>
Climate Change fossil	GWP ff	GWP fossil fuels [7]	kg CO <sub>2eq</sub>
Climate Change total	GWP t	Global Warming Potential [7]	kg CO <sub>2eq</sub>
Stratospheric Ozone Depletion	ODP	Stratospheric Ozone Loss [8]	kg CFC <sub>11eq</sub>
Photochemical Ozone Creation	POCP	Summer Smog [9]	kg NMOC <sub>eq</sub>
Acidification Potential	AP	Accumulated Exceedance [10]	mol H <sup>+</sup> eq
<b>Eutrophication Freshwater</b>	EP fresh	Excess nutrients freshwater [11]	kg P <sub>eq</sub>
<b>Eutrophication Marine</b>	EP marine	Excess marine nutrients [11]	kg N <sub>eq</sub>
<b>Eutrophication Terrestrial</b>	EP land	Excess Terrestrial nutrients [11]	mol N eq
Mineral & Metal Depletion	ADP min	Abiotic Depletion minerals [12]	kg Sb eq
Fossil Fuel Depletion	ADP ff	Abiotic Depletion fossil fuel [13]	MJ ncv
Water Depletion	WDP	Water Deprivation Scarcity [14,15]	m <sup>3</sup> wdp eq
Fresh Water Net	FW	Lake, river, well & town water	$m^3$
Secondary Material	SM	Post-consumer recycled (PCR)	kg
Secondary Renewable Fuel	RSF	PCR biomass burnt	$MJ_{ncv}$
Primary Energy Renewable Material	PERM	Biomass retained material	$MJ_{ncv}$
Primary Energy Renewable Not Feedstock	PERE	biomass fuels burnt	MJ nev
Primary Energy Renewable Total	PERT	Biomass burnt + retained	$MJ_{ncv}$
Secondary Non-renewable Fuel	NRSF	PCR fossil-fuels burnt	$MJ_{ncv}$
Primary Energy Non-renewable Material	PENRM	Fossil feedstock retained	MJ nev
Primary Energy Non-renewable Not Feedstock	PENRE	fossil-fuel used or burnt	MJ nev
Primary Energy Non-renewable Total	PENRT	Fossil feedstock & fuel use	$MJ_{ncv}$
Hazardous Waste Disposed	HWD	Reprocessed to contain risks	kg
Non-hazardous Waste Disposed	NHWD	Municipal landfill facility waste	kg
Radioactive Waste Disposed	RWD	Mostly ex nuclear power stations	kg
Components For Reuse	CRU	Product scrap for reuse as is	kg
Material For Recycling	MFR	Factory scrap to remanufacture	kg
Material For Energy Recovery	MER	Factory scrap use as fuel	kg
Exported Energy Electrical	EEE	Uncommon for building products	$MJ_{ncv}$
Exported Energy Thermal	EET	Uncommon for building products	MJ ncv

### Laminex

**Compact Laminate** 

#### Multipurpose Impressions 13mm LGLP04 2023EP

#### **Results Module A Cradle to Site**

Table 1 shows results of A1 resourcing, A2 transport, A3 manufacture, A4 delivery and A5 construct.

Table 1 A1 to A5 Impact & Inventory Results/Functional Unit

Table 1 A1 to A5 Impact & Inventory Results/Funct	ional Unit		
Result	A1-3	A4	A5
Climate Change biogenic	-1.4	-1.1E-06	-7.5E-02
Climate Change Iuluc	5.7E-02	1.0E-09	2.8E-03
Climate Change fossil	9.2	1.9E-02	0.47
Climate Change total	7.9	1.9E-02	0.40
Stratospheric Ozone Depletion	1.2E-07	1.7E-13	9.1E-09
Photochemical Ozone Creation	3.9E-02	1.2E-04	2.1E-03
Acidification Potential	1.8E-02	1.2E-05	9.1E-04
Eutrophication Freshwater	3.3E-05	5.6E-10	1.9E-06
<b>Eutrophication Marine</b>	4.1E-03	2.3E-06	2.1E-04
Eutrophication Terrestrial	3.7E-02	7.7E-06	1.9E-03
Mineral and Metal Depletion	2.3E-03	7.2E-06	1.2E-04
Fossil Depletion	5.2	2.2E-02	0.26
Water Scarcity Depletion	9.0E-02	3.0E-06	4.4E-03
Net Fresh Water Use	0.54	1.8E-05	2.7E-02
Secondary Material	0.32	2.3E-06	2.7E-03
Secondary Renewable Fuel	27	6.8E-06	1.4
Primary Renewable Material	6.2	3.0E-04	3.1E-03
Primary Energy Renewable Not Feedstock	5.0E-02	2.4E-03	0.33
Primary Energy Renewable Total	33	2.7E-03	1.8
Secondary Non-renewable Fuel	0.26	7.4E-04	1.0E-02
Primary Energy Non-renewable Material	17	0.11	0.92
Primary Non-renewable Energy Not Feedstock	83	0.19	4.2
Primary Energy Non-renewable Total	100	0.30	5.2
Hazardous Waste Disposed	2.2E-03	3.7E-05	1.2E-04
Non-hazardous Waste Disposed	0.71	3.1E-04	4.1E-02
Radioactive Waste Disposed	2.2E-15	1.1E-31	1.1E-16
Components For Reuse	0	4.4E-3	0
Material For Recycling	8.0E-02	5.7E-06	6.0E-03
Material For Energy Recovery	1.9E-04	2.3E-07	2.1E-05
Exported Energy Electrical	0	0	0
Exported Energy Thermal	0	0	0

### Laminex

**Compact Laminate** 

#### Multipurpose Impressions 13mm LGLP04 2023EP

#### **Results Module B: Building Fabric and Operations**

Table 2 shows results of B1 use, B2 maintain, B3 repair, B4 replace, B5 refurbish, B6 energy use and B7 water use.

Table 2 B1 to B7 Impact & Inventory Results/Functional Unit

Result	B1	B2	В3	B4	B5	B6	B7
Climate Change biogenic	0	-0.10	-7.5E-02	0	0	0	0
Climate Change Iuluc	0	6.5E-06	2.8E-03	0	0	0	0
Climate Change fossil	0	0.72	0.47	0	0	0	0
Climate Change total	0	0.62	0.40	0	0	0	0
Stratospheric Ozone Depletion	0	3.2E-09	9.1E-09	0	0	0	0
Photochemical Ozone Creation	0	3.0E-03	2.1E-03	0	0	0	0
Acidification Potential	0	1.3E03	9.1E-04	0	0	0	0
Eutrophication Freshwater	0	6.5E-07	1.9E-06	0	0	0	0
Eutrophication Marine	0	2.1E-04	2.1E-04	0	0	0	0
Eutrophication Terrestrial	0	1.5E-03	1.9E-03	0	0	0	0
Mineral and Metal Depletion	0	3.2E-04	1.2E-04	0	0	0	0
Fossil Depletion	0	0.52	0.26	0	0	0	0
Water Scarcity Depletion	0	1.1E-02	4.4E-03	0	0	0	0
Net Fresh Water Use	0	6.6E-02	2.7E-02	0	0	0	0
Secondary Material	0	2.7E-03	2.7E-03	0	0	0	0
Secondary Renewable Fuel	0	1.4	1.4	0	0	0	0
Primary Renewable Material	0	3.1E-03	3.1E-03	0	0	0	0
Primary Energy Renewable Not Feedstock	0	0.33	0.33	0	0	0	0
Primary Energy Renewable Total	0	1.8	1.8	0	0	0	0
Secondary Non-renewable Fuel	0	1.0E-02	1.0E-02	0	0	0	0
Primary Energy Non-renewable Material	0	0.92	0.92	0	0	0	0
Primary Non-renewable Energy Not Feedstock	0	4.2	4.2	0	0	0	0
Primary Energy Non-renewable Total	0	5.2	5.2	0	0	0	0
Hazardous Waste Disposed	0	9.9E-04	1.2E-04	0	0	0	0
Non-hazardous Waste Disposed	0	0.11	0.40	0	0	0	0
Radioactive Waste Disposed	0	2.7E-17	1.1E-16	0	0	0	0
Components For Reuse	0	0	0	0	0	0	0
Material For Recycling	0	7.6E-02	6.0E-03	0	0	0	0
Material For Energy Recovery	0	3.6E-05	2.1E-05	0	0	0	0
Exported Energy Electrical	0	0	0	0	0	0	0
Exported Energy Thermal	0	0	0	0	0	0	0

### Laminex

**Compact Laminate** 

#### Multipurpose Impressions 13mm LGLP04 2023EP

#### **Results Module C: End-of-life**

Table 3 shows results for C1 demolish, C2 transport C3 waste processing and C4 disposal.

Table 3 C1 to C4 Impact & Inventory Results/Functional Unit

Table 3 C1 to C4 impact & inventory Results/Fun	Cuonai Unit			
Result	C1	C2	C3	C4
Climate Change biogenic	-7.0E-06	-5.4E-07	0	-3.4E-07
Climate Change Iuluc	1.0E-08	8.0E-10	0	5.1E-10
Climate Change fossil	1.9E-03	6.2E-03	0	6.1E-03
Climate Change total	1.9E-03	6.2E-03	0	6.1E-03
Stratospheric Ozone Depletion	2.3E-13	1.1E-13	0	8.8E-14
Photochemical Ozone Creation	7.6E-06	6.0E-05	0	1.4E-04
Acidification Potential	3.5E-06	5.1E-06	0	1.8E-05
Eutrophication Freshwater	7.3E-13	3.1E-10	0	2.6E-10
Eutrophication Marine	6.4E-07	9.4E-07	0	3.3E-06
Eutrophication Terrestrial	4.1E-06	3.2E-06	0	6.3E-06
Mineral and Metal Depletion	3.8E-09	4.2E-06	0	4.0E-06
Fossil Depletion	9.2E-04	7.5E-03	0	7.2E-03
Water Scarcity Depletion	2.5E-07	1.4E-06	0	1.2E-06
Net Fresh Water Use	1.5E-06	8.7E-06	0	7.5E-06
Secondary Material	1.5E-05	1.7E-06	0	1.2E-06
Secondary Renewable Fuel	7.4E-08	-5.3E-17	0	3.3E-17
Primary Renewable Material	2.3E-03	2.9E-04	0	2.1E-04
Primary Energy Renewable Not Feedstock	1.4E-07	1.6E-03	0	1.3E-03
Primary Energy Renewable Total	2.3E-03	1.9E-03	0	1.5E-03
Secondary Non-renewable Fuel	1.4E-08	4.8E-04	0	3.9E-04
Primary Energy Non-renewable Material	2.0E-02	6.3E-02	0	6.0E-02
Primary Non-renewable Energy Not Feedstock	2.5E-04	3.7E-02	0	4.0E-02
Primary Energy Non-renewable Total	2.0E-02	0.10	0	0.10
Hazardous Waste Disposed	7.3E-08	1.2E-05	0	1.2E-05
Non-hazardous Waste Disposed	5.6E-06	9.6E-05	0	5.0E-02
Radioactive Waste Disposed	4.4E-21	8.5E-32	0	5.4E-32
Components For Reuse	0	0	0	0
Material For Recycling	2.2E-05	4.0E-06	0	3.0E-06
Material For Energy Recovery	2.9E-10	1.5E-07	0	1.2E-07
Exported Energy Electrical	0	0	0	0
Exported Energy Thermal	0	0	0	0

### Laminex

**Compact Laminate** 

#### Multipurpose Impressions 13mm LGLP04 2023EP

#### **Results Module D: Beyond System Boundaries**

Table 4 has results for benefit and loads in D1 reuse, D3 recycling and D2 recovery.

Table 4 D1 to D3 Impact & Inventory Results/Functional Unit

Table 4 D1 to D3 Impact & Inventory Results/Functional Unit							
Result	D1	D2	D3				
Climate Change biogenic	-0.43	-1.8E-05	-1.3E-03				
Climate Change Iuluc	-1.5E-02	1.8E-09	2.8E-03				
Climate Change fossil	-2.8	2.5E-04	0.47				
Climate Change total	-2.4	2.3E-04	0.40				
Stratospheric Ozone Depletion	-3.4E-08	5.9E-13	9.1E-09				
Photochemical Ozone Creation	-1.3E-02	1.0E-06	2.1E-03				
Acidification Potential	-5.3E-03	4.4E-07	9.1E-04				
Eutrophication Freshwater	-9.9E-06	1.2E-10	1.9E-06				
<b>Eutrophication Marine</b>	-1.2E-03	7.7E-08	2.1E-04				
<b>Eutrophication Terrestrial</b>	-1.1E-02	5.2E-07	1.9E-03				
Mineral and Metal Depletion	-7.2E-04	5.8E-08	1.2E-04				
Fossil Depletion	-1.6	1.5E-04	0.26				
Water Scarcity Depletion	-2.5E-02	1.8E-05	4.4E-03				
Net Fresh Water Use	-0.16	1.1E-04	2.7E-02				
Secondary Material	-7.4E-03	0	2.7E-03				
Secondary Renewable Fuel	-8.0	1.7E-04	1.8E-03				
Primary Renewable Material	-1.7	2.7E-04	0.20				
Primary Energy Renewable Not Feedstock	-6.7E-02	3.0E-05	4.3E-03				
Primary Energy Renewable Total	-10.0	4.7E-04	0.21				
Secondary Non-renewable Fuel	-8.0E-02	7.7E-06	1.5E-03				
Primary Energy Non-renewable Material	-26	2.4E-03	1.9				
Primary Non-renewable Energy Not Feedstock	-6.0	3.2E-04	0.14				
Primary Energy Non-renewable Total	-32	2.7E-03	2.0				
Hazardous Waste Disposed	-1.0E-03	1.9E-07	1.2E-04				
Non-hazardous Waste Disposed	-6.1E-02	2.0E-05	4.1E-02				
Radioactive Waste Disposed	-6.0E-16	4.9E-21	1.1E-16				
Components For Reuse	0	0	0				
Material For Recycling	-4.9E-02	1.5E-05	6.0E-03				
Material For Energy Recovery	-8.3E-05	6.5E-09	2.1E-05				
Exported Energy Electrical	0	0	0				
Exported Energy Thermal	0	0	0				

### Laminex

**Compact Laminate** 

#### Multipurpose 13mm LGLP05 2023EP

#### **Results Module A Cradle to Site**

Table 5 shows results of A1 resourcing, A2 transport, A3 manufacture, A4 delivery and A5 construct.

Table 5 A1 to A5 Impact & Inventory Results/Functional Unit

Table 5 A1 to A5 Impact & Inventory Results/Funct	ional Unit		
Result	A1-3	A4	A5
Climate Change biogenic	-1.4	-1.1E-06	-7.5E-02
Climate Change Iuluc	5.8E-02	1.0E-09	2.8E-03
Climate Change fossil	9.2	1.9E-02	0.47
Climate Change total	8.0	1.9E-02	0.40
Stratospheric Ozone Depletion	1.2E-07	1.7E-13	9.1E-09
Photochemical Ozone Creation	4.1E-02	1.2E-04	2.1E-03
Acidification Potential	1.8E-02	1.2E-05	9.1E-04
Eutrophication Freshwater	3.5E-05	5.6E-10	1.9E-06
<b>Eutrophication Marine</b>	4.2E-03	2.3E-06	2.1E-04
Eutrophication Terrestrial	3.8E-02	7.7E-06	1.9E-03
Mineral and Metal Depletion	2.2E-03	7.2E-06	1.2E-04
Fossil Depletion	5.2	2.2E-02	0.26
Water Scarcity Depletion	9.0E-02	3.0E-06	4.4E-03
Net Fresh Water Use	0.54	1.8E-05	2.7E-02
Secondary Material	0.32	2.3E-06	2.7E-03
Secondary Renewable Fuel	27	6.8E-06	1.4
Primary Renewable Material	6.1	3.0E-04	3.1E-03
Primary Energy Renewable Not Feedstock	5.0E-02	2.4E-03	0.33
Primary Energy Renewable Total	33	2.7E-03	1.8
Secondary Non-renewable Fuel	0.26	7.4E-04	1.0E-02
Primary Energy Non-renewable Material	17	0.11	0.92
Primary Non-renewable Energy Not Feedstock	82	0.19	4.2
Primary Energy Non-renewable Total	99	0.30	5.2
Hazardous Waste Disposed	2.2E-03	3.7E-05	1.2E-04
Non-hazardous Waste Disposed	0.72	3.1E-04	4.1E-02
Radioactive Waste Disposed	2.2E-15	1.1E-31	1.1E-16
Components For Reuse	0	4.4E-3	0
Material For Recycling	8.0E-02	5.7E-06	6.0E-03
Material For Energy Recovery	2.0E-04	2.3E-07	2.1E-05
Exported Energy Electrical	0	0	0
Exported Energy Thermal	0	0	0

### Laminex

**Compact Laminate** 

#### Multipurpose 13mm LGLP05 2023EP

#### **Results Module B: Building Fabric and Operations**

Table 6 shows results of B1 use, B2 maintain, B3 repair, B4 replace, B5 refurbish, B6 energy use and B7 water use.

Table 6 B1 to B7 Impact & Inventory Results/Functional Unit

Result	B1	B2	В3	B4	B5	B6	B7
Climate Change biogenic	0	-0.10	-7.5E-02	0	0	0	0
Climate Change Iuluc	0	6.5E-06	2.8E-03	0	0	0	0
Climate Change fossil	0	0.72	0.47	0	0	0	0
Climate Change total	0	0.62	0.40	0	0	0	0
Stratospheric Ozone Depletion	0	3.2E-09	9.1E-09	0	0	0	0
Photochemical Ozone Creation	0	3.0E-03	2.1E-03	0	0	0	0
Acidification Potential	0	1.3E03	9.1E-04	0	0	0	0
Eutrophication Freshwater	0	6.5E-07	1.9E-06	0	0	0	0
Eutrophication Marine	0	2.1E-04	2.1E-04	0	0	0	0
Eutrophication Terrestrial	0	1.5E-03	1.9E-03	0	0	0	0
Mineral and Metal Depletion	0	3.2E-04	1.2E-04	0	0	0	0
Fossil Depletion	0	0.52	0.26	0	0	0	0
Water Scarcity Depletion	0	1.1E-02	4.4E-03	0	0	0	0
Net Fresh Water Use	0	6.6E-02	2.7E-02	0	0	0	0
Secondary Material	0	2.7E-03	2.7E-03	0	0	0	0
Secondary Renewable Fuel	0	1.4	1.4	0	0	0	0
Primary Renewable Material	0	3.1E-03	3.1E-03	0	0	0	0
Primary Energy Renewable Not Feedstock	0	0.33	0.33	0	0	0	0
Primary Energy Renewable Total	0	1.8	1.8	0	0	0	0
Secondary Non-renewable Fuel	0	1.0E-02	1.0E-02	0	0	0	0
Primary Energy Non-renewable Material	0	0.92	0.92	0	0	0	0
Primary Non-renewable Energy Not Feedstock	0	4.2	4.2	0	0	0	0
Primary Energy Non-renewable Total	0	5.2	5.2	0	0	0	0
Hazardous Waste Disposed	0	9.9E-04	1.2E-04	0	0	0	0
Non-hazardous Waste Disposed	0	0.11	0.40	0	0	0	0
Radioactive Waste Disposed	0	2.7E-17	1.1E-16	0	0	0	0
Components For Reuse	0	0	0	0	0	0	0
Material For Recycling	0	7.6E-02	6.0E-03	0	0	0	0
Material For Energy Recovery	0	3.6E-05	2.1E-05	0	0	0	0
Exported Energy Electrical	0	0	0	0	0	0	0
Exported Energy Thermal	0	0	0	0	0	0	0

### Laminex

**Compact Laminate** 

#### Multipurpose 13mm LGLP05 2023EP

#### **Results Module C: End-of-life**

Table 7 shows results for C1 demolish, C2 transport C3 waste processing and C4 disposal.

Table 7 C1 to C4 Impact & Inventory Results/Functional Unit

Table 7 C1 to C4 Impact & Inventory Results/Functional Unit  Result  C1  C2  C3  C4							
			-3.4E-07				
			5.1E-10				
		0	6.1E-03				
1.9E-03		0	6.1E-03				
2.3E-13	1.1E-13	0	8.8E-14				
7.6E-06	6.0E-05	0	1.4E-04				
3.5E-06	5.1E-06	0	1.8E-05				
7.3E-13	3.1E-10	0	2.6E-10				
6.4E-07	9.4E-07	0	3.3E-06				
4.1E-06	3.2E-06	0	6.3E-06				
3.8E-09	4.2E-06	0	4.0E-06				
9.2E-04	7.5E-03	0	7.2E-03				
2.5E-07	1.4E-06	0	1.2E-06				
1.5E-06	8.7E-06	0	7.5E-06				
1.5E-05	1.7E-06	0	1.2E-06				
7.4E-08	5.3E-17	0	3.3E-17				
2.3E-03	2.9E-04	0	2.1E-04				
1.4E-07	1.6E-03	0	1.3E-03				
2.3E-03	1.9E-03	0	1.5E-03				
1.4E-08	4.8E-04	0	3.9E-04				
2.0E-02	6.3E-02	0	6.0E-02				
2.5E-04	3.7E-02	0	4.0E-02				
2.0E-02	0.10	0	0.10				
7.3E-08	1.2E-05	0	1.2E-05				
5.6E-06	9.6E-05	0	5.0E-02				
4.4E-21	8.5E-32	0	5.4E-32				
0	0	0	0				
2.2E-05	4.0E-06	0	3.0E-06				
2.9E-10	1.5E-07	0	1.2E-07				
0	0	0	0				
	C1 -7.0E-06 1.0E-08 1.9E-03 1.9E-03 2.3E-13 7.6E-06 3.5E-06 7.3E-13 6.4E-07 4.1E-06 3.8E-09 9.2E-04 2.5E-07 1.5E-06 1.5E-05 7.4E-08 2.3E-03 1.4E-07 2.3E-03 1.4E-08 2.0E-02 2.5E-04 2.0E-02 7.3E-08 5.6E-06 4.4E-21 0 2.2E-05 2.9E-10	C1         C2           -7.0E-06         -5.4E-07           1.0E-08         8.0E-10           1.9E-03         6.2E-03           1.9E-03         6.2E-03           2.3E-13         1.1E-13           7.6E-06         6.0E-05           3.5E-06         5.1E-06           7.3E-13         3.1E-10           6.4E-07         9.4E-07           4.1E-06         3.2E-06           3.8E-09         4.2E-06           9.2E-04         7.5E-03           2.5E-07         1.4E-06           1.5E-06         8.7E-06           7.4E-08         5.3E-17           2.3E-03         1.9E-03           1.4E-08         4.8E-04           2.0E-02         6.3E-02           2.5E-04         3.7E-02           2.0E-02         0.10           7.3E-08         1.2E-05           5.6E-06         9.6E-05           4.4E-21         8.5E-32           0         0           2.2E-05         4.0E-06           2.9E-10         1.5E-07	C1         C2         C3           -7.0E-06         -5.4E-07         0           1.0E-08         8.0E-10         0           1.9E-03         6.2E-03         0           1.9E-03         6.2E-03         0           2.3E-13         1.1E-13         0           7.6E-06         6.0E-05         0           3.5E-06         5.1E-06         0           7.3E-13         3.1E-10         0           6.4E-07         9.4E-07         0           4.1E-06         3.2E-06         0           3.8E-09         4.2E-06         0           9.2E-04         7.5E-03         0           2.5E-07         1.4E-06         0           1.5E-06         8.7E-06         0           1.5E-05         1.7E-06         0           7.4E-08         5.3E-17         0           2.3E-03         1.9E-03         0           1.4E-08         4.8E-04         0           2.3E-04         3.7E-02         0           2.5E-04         3.7E-02         0           2.0E-02         0.10         0           7.3E-08         1.2E-05         0           5.6E-06 </th				

### Laminex

**Compact Laminate** 

#### Multipurpose 13mm LGLP05 2023EP

#### **Results Module D: Beyond System Boundaries**

Table 8 has results for benefit and loads in D1 reuse, D3 recycling and D2 recovery.

Table 8 D1 to D3 Impact & Inventory Results/Functional Unit

Table 8 D1 to D3 Impact & Inventory Results/Functional Unit							
Result	D1	D2	D3				
Climate Change biogenic	-0.43	-1.8E-05	-1.3E-03				
Climate Change Iuluc	-1.5E-02	1.8E-09	2.8E-03				
Climate Change fossil	-2.8	2.5E-04	0.47				
Climate Change total	-2.4	2.3E-04	0.40				
Stratospheric Ozone Depletion	-3.4E-08	5.9E-13	9.1E-09				
Photochemical Ozone Creation	-1.3E-02	1.0E-06	2.1E-03				
Acidification Potential	-5.3E-03	4.4E-07	9.1E-04				
Eutrophication Freshwater	-9.9E-06	1.2E-10	1.9E-06				
<b>Eutrophication Marine</b>	-1.2E-03	7.7E-08	2.1E-04				
Eutrophication Terrestrial	-1.1E-02	5.2E-07	1.9E-03				
Mineral and Metal Depletion	-7.2E-04	5.8E-08	1.2E-04				
Fossil Depletion	-1.6	1.5E-04	0.26				
Water Scarcity Depletion	-2.5E-02	1.8E-05	4.4E-03				
Net Fresh Water Use	-0.16	1.1E-04	2.7E-02				
Secondary Material	-7.4E-03	0	2.7E-03				
Secondary Renewable Fuel	-8.0	1.7E-04	1.8E-03				
Primary Renewable Material	-1.7	2.7E-04	0.20				
Primary Energy Renewable Not Feedstock	-6.7E-02	3.0E-05	4.3E-03				
Primary Energy Renewable Total	-10.0	4.7E-04	0.21				
Secondary Non-renewable Fuel	-8.0E-02	7.7E-06	1.5E-03				
Primary Energy Non-renewable Material	-26	2.4E-03	1.9				
Primary Non-renewable Energy Not Feedstock	-6.0	3.2E-04	0.14				
Primary Energy Non-renewable Total	-32	2.7E-03	2.0				
Hazardous Waste Disposed	-1.0E-03	1.9E-07	1.2E-04				
Non-hazardous Waste Disposed	-6.1E-02	2.0E-05	4.1E-02				
Radioactive Waste Disposed	-6.0E-16	4.9E-21	1.1E-16				
Components For Reuse	0	0	0				
Material For Recycling	-4.9E-02	1.5E-05	6.0E-03				
Material For Energy Recovery	-8.3E-05	6.5E-09	2.1E-05				
Exported Energy Electrical	0	0	0				
Exported Energy Thermal	0	0	0				


### Laminex

**Compact Laminate** 

#### Interpretation Cradle to Gate A1 to A3

The first interpretation section discusses Compact product results cradle to gate A1 to A3. Their names are Chemical resistant 13mm (Lab13) Chemical resistant 16mm (Lab16) Multipurpose Impressions 13mm (Multilm) Multi-purpose 13mm (MultiP) Alfresco 13mm (Alfre) Aquapanel 2.7mm (AquaP) and Aquapanel CustomArt 2.7mm (AquaCA).

Figure 3 charts their component mass kg/kg product A1-3. Figure 4 charts energy and feedstock input (MJ), versus filler, binder and greenhouse emissions (GWP) (kg)/kg product A1-3.







Figure 3 Material Component Share kg/kg

Figure 4 Input Share (MJ & kg) Vs CO<sub>2e</sub> kg/kg

Figure 3 shows cellulose filler and binders of Phenol or Melamine Formaldehyde were the main components with others having very low mass share. Figure 4 charts all products' reliance on fossil energy then renewable cellulose fill renewable energy use then formaldehyde binders and fossil feedstock and low GWP. Renewable cellulose feedstock fill and renewable energy use reduced GWP.

#### Interpretation Cradle to Grave and Beyond the System Boundary A1 to D3

The next section discusses product results cradle to fate A1 to C4 and to D3 beyond the system boundary/kg Functional Unit. Figure 5 charts GWP versus fossil and renewable energy and feedstock use. Figure 6 charts Water Deprivation (DepW) Vs Acidification (AP) and Eutrophication terrestrial (EPt)/kg.






Figure 5 GWP vs Energy & Feedstock A1-D3/kg

Figure 6 FW Vs AP, EP & A1-D3/kg

Figure 5 shows low GWP overall. It shows flows with minor credits in energy reuse beyond 20-years. Chart 6 shows Acidification and EP peak with cleaning in D1 reuse beyond 20-years.

### Laminex

**Compact Laminate** 

#### References

- [1] EN 15804:2012+A2:2019 Sustainability of construction works Environmental product declarations Core rules for the product category of construction products.
- [2] GreenTag PCR https://www.globalgreentag.com/get/files/1191/wall-ceiling-linings-sub-pcr-wcl.pdf
- [3] GreenTag PCR https://www.globalgreentag.com/get/files/1189/fitted-cabinetry-sub-pcr-2023-fic.pdf
- [4] ISO 14025:2010 Environmental labels and declarations Type III environmental declarations Principles and procedures.
- [5] ISO14044:2006 Environmental management Life cycle assessment (LCA) Requirements and guidelines.
- [6] ISO 15686-2:2012 Buildings and constructed assets Service life planning Part 2: Service life prediction procedures.
- [7] ISO 15686-8:2008 Buildings and constructed assets Service-life planning Part 8: Reference service life and service-life estimation.
- [8] IPCC 2013, Global Warming Potential 100-year, IPCC Fifth Assessment Report Climate Change.
- [9] WMO 2014, Ozone Depletion Potentials for Steady-state, Scientific Assessment of Ozone Depletion: 2014, Global Ozone Research and Monitoring Project Report No. 55, 2014.
- [10] Van Zelm, R., Huijbregts, M., Hollander, H., Jaarsveld, H., Sauter, F., Struijs, J., Wijnen, H., Van de meent, D. 2008, European characterization factors for human health damage of PM10 and ozone in life cycle impact assessment, J O Atmospheric Environment 42(3):441-453, as applied in ReCiPe LOTOS-EUROS. https://doi.10.1016/j.atmosenv.2007.09.072
- [11] Seppälä, J., Posch, M., Johansson, M. and Hettelingh, J-P. 2006 Country-dependent Characterisation Factors for Acidification and Terrestrial Eutrophication Based on Accumulated Exceedance as an Impact Category Indicator, T Int J O LCA 11(6):403-416 Nov 2006 <a href="https://doi.10.1065/lca2005.06.215">https://doi.10.1065/lca2005.06.215</a>
- [12] Posch, M., Seppälä, J., Hettelingh, J-P., and Johansson, M., (2008) The role of atmospheric dispersion models and ecosystem sensitivity in the determination of characterisation factors for acidifying and eutrophying emissions in LCIA, Sept 2008, I J of Life Cycle Assessment 13(6):477-486., <a href="https://doi.10.1007/s11367-008-0025-9">https://doi.10.1007/s11367-008-0025-9</a>
- [13] Struijs, J., Beusen, A., van Jaarsveld, H. & Huijbregts, M.A.J. (2009b). Aquatic Eutrophication. Ch 6 in: Goedkoop, M., Heijungs, R., Huijbregts, M.A.J., De Schryver, A., Struijs, J., Van Zelm, R. (2009). ReCiPe 2008 A LCIA method which comprises harmonised category indicators at the midpoint and the endpoint level. Report I: Characterisation factors, 1st Ed.
- [14] CML-IA V4.1 LCA methodology, 2002, October 2012, CML University of Leiden, Netherlands.
- [15] Guinée et al., 2002, and van Oers et al., 2002 CML LCA methodology 2002a, Institute of Environmental Sciences (CML), Faculty of Science, University of Leiden, Netherlands.
- [16] Boulay, A-M., Bare, J., Benini, L., Berger, M., Lathuilliere, M., Manzardo, A., Margni, M., Motoshita, M., Núñez, M., Pastor, A., Ridoutt, B., Oki, T., Worbe, S., Pfister, S. (2018). The WULCA consensus characterization model for water scarcity footprints: assessing impacts of water consumption based on available water remaining (AWARE). I J of LCA. 23. 1-11. https://doi.10.1007/s11367-017-1333-8