

PHD™

Product Health Declaration



CSR Martini

dECO Screen, Blades, Clouds & 3D Tile


dECO Screen, Blades, Clouds & 3D is a multi-purpose interior fitout fabric designed go be used on dECO panels acoustic panels, screens, interceiling paneling, pinboards and workstations. This fabric is intended to be used in building interiors. dECO clouds is designed for interior ceiling paneling.

Products/Ranges:	dECO Screen, Blades, Clouds & 3D Tile
Product Stages Assessed:	Manufacturing + In-Use
Product Type:	Interior fitout fabric
CSI Masterformat:	09 70 00
Licenced Site/s:	Ingleburn NSW
Licence Number:	MAR:IN07:2026:PH
Licence Date:	6th April 2022
Valid To:	6th April 2026
Standard:	GGT International v4.1
Screening Date:	2nd March 2026
PHD URL:	https://www.globalgreentag.com/certificate/1477/



PHD Summary	Inventory Threshold:	Inventory Method:
Percentage Assessed: 100%	100ppm Product Level	Nested Materials

- GreenTag Banned List Compliant.
- GreenTag PHD recognized by WELL * & LEED * Material Transparency & Optimization credits included below:
- Meets WELL™ v1.0 Features 97: Material Transparency, Feature 4: VOC Reduction and, WELL™ v2.0 Features – X07: Material Transparency, X08: Material Optimisation.
- Meets USGBC LEED® v4.0 and v4.1 Rating Tool Credit as Recognized for MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.
- Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.



Declared by:
Global GreenTag
International Pty Ltd

David Baggs
CEO

Verified compliant with:
ISO 14024 & ISO 17065

1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- substances used or created during the manufacturing process unless they remain in the final product; or
- substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum GreenTag Certification Mark Tier Levels of LCARate.

1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED[®] v4.0 & v4.1, WELL[®] v1.0 & v2.0, Green Star[®], the following information is declared from the audit:

Colour	Ingredient Hazard Disclosure
Green	Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Colour	Risk Assessment & In Use Health Assessment Outcome
Green	No Concerns The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petroleum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.

Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment
Low Melt Fibre								
Polyethylene Terephthalate (PET)	25038-59-9	15-30	None, H413 (Aquatic Chronic 4), H319 (Eye Irrit. 2)	OK				The substance may cause eye irritation and is harmful to aquatic organisms. The manufacturing facility has Workplace Health, Safety and Environment policies in place which reduces these risks during the manufacturing stage. The substance is embedded into the final product, the hazards will not present in the final product. Therefore, it is not expected to cause harm to the users. Recycled Content: None
Titanium dioxide	13463-67-7	0.01-1%	None	OK				There are no identifiable risks associated with this substance to the end users.
Copolymer	Proprietary binding fibre	15-30%	None	OK				There are no risks declared with this substance to the end users.
Proprietary	Finish oil	0.01-1%	None	OK				There are no risks declared with this substance to the end users.
Powder Adhesive								
Polyethylene	9002-88-4	1-5%	None, H412 (Aquatic Chronic 3), H335 (STOT SE 3 – Respiratory irritation), H373 (STOT RE 2), H315 (Skin Irrit. 2), H334 (Resp. Sens. 1), H319 (Eye Irrit. 2), H317 (Skin Sens. 1)	OK				The substance is suspected to be carcinogenic to humans. It may cause eye, skin or respiratory irritation. It is harmful to aquatic organisms. The manufacturing facility has Workplace Health, Safety and Environment policies in place which reduces these risks during this stage. The substance is embedded into the final product, the hazards will not present in the final product. Therefore, it is not expected to cause harm to the users.
Recycled Polyester Fibre								
Polyethylene Terephthalate (PET)	25038-59-9	15-20%	None, H413 (Aquatic Chronic 4), H319 (Eye Irrit. 2)	OK				The substance may cause eye irritation and is harmful to aquatic organisms. The manufacturing facility has Workplace Health, Safety and Environment policies in place which reduces these risks during the manufacturing stage. The substance is embedded into the final product, the hazards will not present in the final product. Therefore, it is not expected to cause harm to the users. Recycled Content: Post-C
Titanium dioxide	13463-67-7	0.01-1%	None	OK				There are no identifiable risks associated with this substance to the end users.
Carbon black	1333-86-4	0.01-1%	None	OK				There are no risks declared with this substance to the end users.

Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment
Yellow Pigment	14059-33-7	0.01-1%	None, H373(STOT RE 2)	OK				The unreacted substance is harmful to human. It may damage organs. The manufacturing facility has OHS policies in place to reduce these risks. The supplier is GRS certified which mitigates the risks while recycling the material. The substance is embedded in the final product, hence the risks are low.
Red Pigment	4948-15-6	0.01-1%	None	OK				There are no risks declared with this substance to the end users.
Blue Pigment	147-14-8	0.01-1%	None	OK				There are no identifiable risks associated with this substance to the end users.
Green Pigment	1328-53-6	0.01-1%	None	OK				There are no identifiable risks associated with this substance to the end users.
Virgin Polyester Fibre								
Polyethylene Terephthalate (PET)	25038-59-9	30-50%	None, H413 (Aquatic Chronic 4), H319 (Eye Irrit. 2)	OK				The substance may cause eye irritation and is harmful to aquatic organisms. The manufacturing facility has Workplace Health, Safety and Environment policies in place which reduces these risks during the manufacturing stage. There are no identifiable risks associated with this substance to the end users. Recycled Content: None
Polyester copolyester	Copolyester	0.01-1%	None	OK				There are no risks declared with this substance to the end users.
Proprietary	Finishes	0.01-1%	None	OK				There are no risks declared with this substance to the end users.
Regen Polyester Fibre								
Polyester	Fibre	15-30%	None	OK				Recycled Content: Post-C and Pre-C
Proprietary	Fibre	15-30%	None	OK				There are no risks declared with this substance to the end users.

Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment
Virgin Polyester Fibre								
Polyethylene Terephthalate (PET)	25038-59-9	30-50%	None, H413 (Aquatic Chronic 4), H319 (Eye Irrit. 2)	OK				The substance may cause eye irritation and is harmful to aquatic organisms. The manufacturing facility has Workplace Health, Safety and Environment policies in place which reduces these risks during the manufacturing stage. There are no identifiable risks associated with this substance to the end users. Recycled Content: None
Hot melt adhesive powder								
Proprietary	Adhesive	1-5%	None	OK				There are no risks declared with this substance to the end users.
Virgin Polyester Fibre								
Polyethylene Terephthalate (PET)	25038-59-9	15-30%	None, H413 (Aquatic Chronic 4), H319 (Eye Irrit. 2)	OK				The substance may cause eye irritation and is harmful to aquatic organisms. The manufacturing facility has Workplace Health, Safety and Environment policies in place which reduces these risks during the manufacturing stage. The substance is embedded into the final product, the hazards will not present in the final product. Therefore, it is not expected to cause harm to the users. Recycled Content: None
Titanium dioxide	13463-67-7	0.01-1%	None	OK				There are no identifiable risks associated with this substance to the end users.
Proprietary	Fibre lubricants	15-30%	None	OK				There are no risks declared with this substance to the end users.

Comments:

VOC emissions: TVOC mg/m²/hr for final product is <0.5 mg/m²/hr. Threshold Limit Value (TLV) measured using Test Method ASTM D5116-2017 "Standard Guide for Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Material/Products". Sample tested in September 2020 by FORAY Laboratories – NATA Accreditation 1231.