

Dulux Australia

Dulux EnvirO2 Interior Acrylic Sealer Undercoat

Dulux Enviro2 acrylic sealer undercoat has characteristics of low odour and low VOC emissions. This is a water-based prepcoat used mostly on interior surfaces. This acrylic paint can be used to undercoat plasterboards, masonry and interior timber in one coat.

Products/Ranges: Dulux EnvirO2 Interior

Product Stages Assessed: Material inputs, manufacturing, in-use

CSI Masterformat: 09 91 00 Painting

Licenced Site/s:

Licence Number:

DUL:EI01:2023:PH

Licence Date:

31st December 2019

Valid To:

Standard:

GGT International v4.0

Screening Date:

20th September 2023

https://www.globalgreentag.com/getfile/12767/phd.pdf





PHD Summary

PHD URL:

Percentage Assessed:

100%

Inventory Threshold: 100ppm Product Level

Inventory Method:
Nested Materials

GreenTag Banned List Compliant.

GreenTag PHD recognized by WELL™ & LEED ® Material Transparency & Optimization credits included below:

Meets Green Star * 'Buildings v1.0' ~ Credit 9: Responsible Finishes; Credit 13: Exposure to Toxins, and, meets 'Design & As Built v1.3' and 'Interiors v1.3' ~ Indoor Pollutants.

Meets IWBI * WELL™ v1.0 as Recognized for ~ Feature 26 (Part 1); Feature 97 (Part 1); as a Compliant Technical Document (Audited) for Feature 04 (Part 1) and, meets IWBI * WELL™ v2.0 as Recognized for X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for X01 (Part 3); X06 (Part 1); X07 (Part 2);

• Meets USGBC LEED* v4.0 and v4.1 Rating Tool Credit, MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.

Highly unlikely worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.

INGREDIENT HAZARD DISCLOSURE, RISK
ASSESSMENT, & IN USE HEALTH, % by mass.



Declared by: Global GreenTag International Pty Ltd



David Baggs CEO

Verified compliant with: ISO 14024 & ISO 17065

1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- i. substances used or created during the manufacturing process unless they remain in the final product; or
- ii. substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels of LCARate.

1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED * v4.0 & v4.1, WELL * v1.0 & v2.0, Green Star *, the following information is declared from the audit:

Colour	Ingredient Hazard Disclosure
Green	Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Colour	Risk Assessment & In Use Health Assessment Outcome
Green	No Concerns The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petroleum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.



ngredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment
Binder			,					
Tylose	Binder	0.1-1%	None	ОК				No identifiable risk to end user. Recycled Content: None Nano Materials: No
Aqueous dispersion o	of polymer							
Proprietary	Polymer	10-20%	H330, H310 H301, H314 H318, H317 H400, H410	OK				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
2-methyl-2H-iso- thiazol-3-one	2682-20-4	<0.1%	H330, H311 H301, H314 H318, H317 H400, H410	OK			_	Once applied the aqueous dispersion of polymer together with its preservatives/biocides will be incorporated in a hard, durable, ine film and will not present a significa hazard. Any fragments, chips and flakes of thepaint will be of little cocern as they are expected to be ine Recycled Content: Unknown Nanomaterials: unknown
1,2-Benzisothi- azol-3(2H)-one	2634-33-5	<0.1%	H315, H318 H317, H400	ОК		_		Once applied the aqueous dispersion of polymer together with its preservatives/biocides will be incorporated in a hard, durable, ine film and will not present a significa hazard. Any fragments, chips and flakes of thepaint will be of little cocern as they are expected to be ine Recycled Content: Unknown Nanomaterials: unknown
Additive								
Neutralizing Amine	Additive	0.1-1%	None	ОК				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Foam Control								runomaterials, antinown
White mineral oil (petroleum)	8042-47-5	0.1-1%	H304	ОК				Once applied, this Foam control wibe incorporated in a hard, durable, inert film and will not present a significant hazard. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Precipitated synthetic amorphous silica	112926- 00-8	<0.1%	H330, H372, H332, H318, H335	ОК	_	_	_	The ingredient can cause hazard ri on skin, respiratory systems and ey if exposed to longer period. The OHS policies in place reduce the risk associated with handling these chemicals. Also EMS policies in Dulux Factory reduce its harm to environment. Recycled Content: Unknown Nanomaterials: unknown
Diethylenetri- amine	111-40-0	<0.1%	H312, H302, H314, H317	ОК	_	_	_	Once applied, this ingredient in th foam control will be incorporated in a hard, durable, inert film and w not present a significant hazard. N identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Proprietary	Additive	0.1-1%	None	OK				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown



ngredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment
Isobutyric acid, monoester with 2,2,4-trimethyl- pentane-1,3-diol	25265-77-4	0.1-1%	H319, H315, H335 , H412	OK				Thinner solvents present risk such a VOC to indoor air quality however, as noted from the total voc of the final product, this is lower than the limits set by the GBCA and LEED. In terms of chronic exposure risks, this is minimised because when the paint is applied and dried, the inert nature of thinner does not present any health risk. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Proprietary	Additive	<0.1%	None	OK	_	_	_	Thinner aaditives - In terms of chror ic exposure risks, this is minimised because when the paint is applied and dried, the inert nature of thinne does not present any health risk. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Tripropylene Glycol								
[(methylethylene) bis(oxy)]dipro- panol	24800-44-0	0.1-1%	None	ОК				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Oxydipropanol	25265-71-8	<0.1%	None	ОК				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Modifier								
Non-ironic ure- thane	Rheology modifier	0.1-1%	None	ОК	_	_	_	Once applied, this rheology modifice will be incorporated in a hard, durable, inert film and will not present a significant hazard. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Dispersant								
polycarboxylic acid	Waterborne pigment dispersant	0.1-1%	None	OK	_			Once applied, this dispersant will be incorporated in a hard, durable, ine film and will not present a significan hazard. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Pigment								
Opaque Polymer	Polymeric pigment	1-5%	None	ОК	_	_	_	Once applied, this opaque polymer pigment will be incorporated in a hard, durable, inert film and will not present a significant hazard. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: unknown
Water								
Dosed Water	Diluent	20-30%	None	ОК				No identifiable risk to end user. Recycled Content: Unknown
Comfortant								Nanomaterials: no
Non ionic surfactant	Surfactant	0.1-1%	H400	OK	_	_	_	Outcome: Paint label instructions detail that "Do not contaminate storm water with paint or paint washings, Do not pour left over paint down the drain. Unwanted paints should be brushe out on newspaper, allowed to dry and disposed of via domestic waste collections. No identifiable risk to end user. Recycled Content: None Nano Materials: Unknown



Extender	ngredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment
Pigment Kacolin Mineral pigment 1-5% None OK None Recycled Content Unknown Nanomaterials Yes No Identifiable risk to end user. Recycled Content Unknown Nanomaterials Yes Tale Quartz 14808-60-7 0,1-1% H350, H373 OK Propietary Proprietary Risk of the page	Limestone	Extender	15-30%	None	OK				No identifiable risk to end user.
No Identifiable risk to end user. Rapided Content: Unknown. None Additive Proprietary Filler 5-10% None OK None None									
None	Pigment								
Nanomaterials: Yes Once applied the notified ingretogether with its preservatives, bloodes will be incorporated in hard, durable, iterating with the paint will be officed will be incorporated in hard, durable, iterating will be defined in present as significant parad. Additive Proprietary Filler 5-10% None OK • • • • • • • • • • • • • • • • • •	Kaolin		1-5%	None	OK				
Quartz 14808-60-7 0,1-1% H350, H373 OK Additive Proprietary Filler 5-10% None OK Additive Filler 5-10% None OK Additive Once applied the notified ingress and sheet the paint will be offered from and will present a significant hazard. Any fingements, chips and filles the paint will be offered content. None Nanomaterials Yes Once applied the motified ingress and sheet the paint will be offered content. None Nanomaterials Yes Once applied the motified ingress and sheet the paint will be offered content. None Nanomaterials Yes Once applied the motified ingress and sheet the paint will be offered content. None Nanomaterials Yes Once applied the interfice ingress to be inert. None Nanomaterials Yes Once applied the interfice ingress to be inert. None Additive Additive Once applied the interfice ingress the paint will be offered in a policy of the inert. None the inert. One the inert. None		piginent							
Quartz 1480-60-7 Q.1-19	Talc								Once applied the notified ingredien
Proprietary Filler 5-10% None OK Proprietary Proprietary Proprietary Filler 5-10% None OK Proprietary Proprietary Proprietary Proprietary Filler 5-10% None OK Proprietary Proprietary	Quartz	14808-60-7	0.1-1%	H350, H373	ОК	_	_	_	together with its preservatives/ biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of the paint will be of little concern as they are expected to be inert. No identifiable risk to end user.
Proprietary Filler 5-10% None OK The proprietary Filler The proprietary Filler 5-10% None OK The proprietary Filler The proprietary Filler The proprietary Filler 5-10% None OK The proprietary The proprietary Filler The proprietary The									
Additive Industrial Microbiocide Biocide 0,1-1% None OK OR plied, this biocide will be incorporated in hard, durable, it incorporated in hard, durable, incorporated in hard, durable, incorporated in hard, durable, incorporated in hard, durable, inert film and will present a significant hazard. Any fragments, chips and falkes the paint will be of little concern they are expected to be inert. No identifiable risk to end user. Recycled Content: None Nano Materials: No Once applied the notified polyr together with its preservatives/ biocides will be incorporated in hard, durable, inert film and will present a significant hazard. Any fragments, chips and falkes the paint will be of little concern they are expected to be inert. No identifiable risk to end user. Recycled Content: None Nano Materials: No Once applied the notified polyr together with its preservatives/ biocides will be incorporated in hard, durable, inert film and will present a significant hazard. Any fragments, chips and falkes the paint will be of little concern they are expected to be inert. No identifiable risk to end user. Recycled Content: None Recyc	Proprietary	Filler	5-10%	None	ОК	_	_	_	together with its preservatives/ biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of the paint will be of little concern as they are expected to be inert. No identifiable risk to end user.
Industrial Microbiocide Biocide 0.1-1% None OK Industrial Microbiocide Biocide 0.1-1% None OK Industrial Microbiocide OK Industrial Microbiocide OK Industrial Microbiocide OK Industrial Microbiocide Industr									Nanomaterials: Yes
Industrial Microbiocide Biocide 0.1-1% None OK Recycled Content: Unknown Nanomaterials: no Opaque Polymer Once applied the notified polyr together with its preservatives/ biocides will be incorporated in hard, durable, inert film and will present a significant hazard. Any fragments, chips and flakes the paint will be of little concert they are expected to be inert. No identifiable risk to end user. Recycled Content: None Nano Materials: No Once applied the notified polyr together with its preservatives/ biocides will be incorporated in hard, durable, inert film and will present a significant hazard. Any fragments, chips and flakes the paint will be of little concert they are expected to be inert. No identifiable risk to end user. Recycled Content: None Nano Materials: No Once applied the notified polyr together with its preservatives/ biocides will be incorporated in hard, durable, inert film and will present a significant hazard. Any fragments, chips and flakes the paint will be of little concert they are expected to be inert. No identifiable risk to end user. Recycled Content: None Nano Materials: No Once applied the notified polyr together with its preservatives/ biocides will be incorporated in hard, durable, inert film and will present a significant hazard. Any fragments, chips and flakes the paint will be of little concert they are expected to be inert. No identifiable risk to end user.	Additive								Once applied this bioride will be
Opaque Polymer 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one 2634-33-5 263		Biocide	0.1-1%	None	OK	_	_	_	incorporated in hard, durable, inert film and will not present a significar hazard. No identifiable risk to end
Once applied the notified polyr together with its preservatives/ biocides will be incorporated in hard, durable, inert film and will present a significant hazard. Any fragments, chips and flakes the paint will be of little concent have are expected to be inert. No identifiable risk to end user. Recycled Content: None Wand Materials: No 2682-20-4 Once applied the notified polyr together with its preservatives/ biocides will be incorporated in hard, durable, inert film and will present a significant hazard. Any fragments, chips and flakes the paint will be of little concent they are expected to be inert. No identifiable risk to end user. Recycled Content: None 2682-20-4 Once applied the notified polyr together with its preservatives/ biocides will be incorporated in hard, durable, inert film and will present a significant hazard. Any fragments, chips and flakes the paint will be of little concent they are expected to be inert. No identifiable risk to end user. Recycled Content: None									
together with its preservatives/biocides will be incorporated in hard, durable, inert film and wil present a significant hazard. Any fragments, chips and flakes the paint will be of little concert they are expected to be inert. No identifiable risk to end user. Recycled Content: None Nano Materials: No 2-methylisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one 3-methylisothiazol-3(2H)-one 3-methylisothiazol-3(2H)-one 3-methylisothiazol-3(2H)-one 3-methylisothiazol-3(2H)-one 3-methylisothiazol-3(2H)-one 3-methylisothiazol-3(2H)-one 4-methylisothiazol-3(2H)-one 3-methylisothiazol-3(2H)-one 4-methylisothiazol-3(2H)-one 4-methylisothiazol-3(2H)-one 5-methylisothiazol-3(2H)-one 4-methylisothiazol-3(2H)-one 5-methylisothiazol-3(2H)-one 5-methylisothiazol-3(2H)-one 5-methylisothiazol-3(2H)-one 6-methylisothiazol-3(2H)-one 6-methylisothiazol-3(2H)-one 6-methylisothiazol-3(2H)-one 7-methylisothiazol-3(2H)-one 8-methylisothiazol-3(2H)-one 9-methylisothiazol-3(2H)-one 1-methylisothiazol-3(2H)-one 1-methylisothiazol-3(2H)-one 1-methylisothiazol-3(2H)-one 1-methylisothiazol-3(2H)-one 1-methylisothiazol-3(2H)-one 1-methylisothiazol-3(2H)-one 1-methylisothiazol-3(2H)-one 1-methylisothiazol-3(2H)-one 1-methylisothiazol-3(2H)-one 3-methylisothiazol-3(2H)-one 3	Opaque Polymer								
together with its preservatives/biocides will be incorporated in hard, durable, inert film and wil present a significant hazard. 2-methylisothiazol-3(2H)-one 2682-20-4 1% H330, H311, H314, H400 OK OK OK Margaments, chips and flakes the paint will be of little concert they are expected to be inert. No identifiable risk to end user. Recycled Content: None	azol-3(2H)-one; 1,2-benzisothi-	2634-33-5			ОК		_	_	Any fragments, chips and flakes of the paint will be of little concern as they are expected to be inert. No identifiable risk to end user. Recycled Content: None
		2682-20-4			ОК				Any fragments, chips and flakes of the paint will be of little concern as they are expected to be inert. No identifiable risk to end user. Recycled Content: None



		D	CHC IAPC						
Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment	
reaction mass of 5-chloro-2- methyl-4-iso- thiazolin-3-one and 2-methyl-2H -isothiazol-3-one	55965-84-9	0.01- 1%	H330, H314 H400	ОК	_		_	Once applied the notified polymer together with its preservatives/ biocides will be incorporated in a hard, durable, inert film and will not present a significant hazard. Any fragments, chips and flakes of the paint will be of little concern as they are expected to be inert. No identifiable risk to end user. Recycled Content: None Nano Materials: No	
Proprietary	Industrial use	1-5%	None	ОК				No identifiable risk to end user. Recycled Content: None Nano Materials: No	
Binder									
Proprietary	Binder	0.1-1%	None	ОК	_	_	_	Once applied, this binder will be incorporated in hard, durable, inert film and will not present a significant hazard. No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: no	
Pigment									
Titanium dioxide	13463-67-7	10-20%	None	ОК				No identifiable risk to end user. Recycled Content: Unknown Nanomaterials: Yes	

GHS H-statements below:

H304 (Fatal if swallowed)

H311 (Toxic skin contact)

H314(skin/eye damage)

H315 (Skin irritation)

H317 (Allergic skin reacion)

H318(Eye damage)

H317(Allergic skin reaction) H330 (Fatal if inhaled)

H350 (May cause cancer)

H373 (May cause organ damage)

H400 (Very toxic to aquatic life)

Comments:

VOC emissions: Global GreenTag International Program Standard v4.0 Formaldehyde Content Supplementary Standard in accordance with requirements of the Green Building Council of Australia and LEEDv4, as updated from time to time.

VOC content: VOC g/L for Dulux Enviro2 Interior ASU applied on site is < 1g/L ready to use product calculated in accordance with the stated methodology within Green Star technical manual. The TVOC content of the 'ready-to-use' paint shall be theoretically calculated as the sum total of VOCs of each of the raw material components comprising the paint. Calculations submitted on 26/09/2023 by Dulux Australia.

