

# PHD<sup>TM</sup>

## Product Health Declaration

### Island Block & Paving Pty Ltd

Blocks for the Future, Bricks for the Future, Pavers for the Future,  
Freestone ECO retaining Wall System

Island Block & Paving's Blocks for the Future, Bricks for the Future, Pavers for the Future and Freestone ECO retaining Wall System are manufactured with 37.68% post-consumer recycled glass aggregate, which is a by-product derived from recycled glass container bottles. The products are available in various sizes, colours and surface finishes.

Products/Ranges:

Product Stages Assessed:

Product Type:

CSI Masterformat:

Licenced Site/s:

Licence Number:

Licence Date:

Valid To:

Standard:

Screening Date:

PHD URL:

Product for the Future

Manufacturing + In-Use

Bricks, Block, Paving & Retaining Walls

04 20 00

Tasmania, Australia

IBP:TA01:2025:PH

14th November 2022

14th November 2026

GGT International v4.1

4th December 2025

<https://www.globalgreentag.com/certificate/2398/>



### PHD Summary






Percentage Assessed: **100%**

### Inventory Threshold:

100ppm Product Level

### Inventory Method:

Nested Materials

-  GreenTag Banned List Compliant.
-  GreenTag PHD recognized by WELL<sup>®</sup> & LEED<sup>®</sup> Material Transparency & Optimization credits included below:
-  Meets IWBI<sup>®</sup> WELL<sup>®</sup> v1.0 as Recognized for ~ Feature 26 (Part 1); Feature 97 (Part 1); and, meets IWBI<sup>®</sup> WELL<sup>®</sup> v2.0 as Recognized for ~ X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for ~ X07 (Part 2); X08 (Part 1).
-  Meets USGBC LEED<sup>®</sup> v4.0 and v4.1 Rating Tool Credit as Recognized for MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.
-  Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.

### ASSESSMENT:



Declared by:  
Global GreenTag  
International Pty Ltd



David Baggs  
CEO

Verified compliant with:  
ISO 14024 & ISO 17065

## 1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- i. substances used or created during the manufacturing process unless they remain in the final product; or
- ii. substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum GreenTag Certification Mark Tier Levels of LCARate.

## 1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

## 1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

## 2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED ® v4.0 & v4.1, WELL ® v1.0 & v2.0, Green Star ®, the following information is declared from the audit:

Colour	Ingredient Hazard Disclosure
Green	Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Colour	Risk Assessment & In Use Health Assessment Outcome
Green	No Concerns The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petroleum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.

Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment
Quartz Sand (Crystal-line Silica)	Filler	50-70%	Natural Sand	OK	<div></div>	<div></div>	<div></div>	Crystalline silica poses a risk only when respirable dust is generated and inhaled; however, once bricks, blocks or pavers are mixed, cured and installed, the silica becomes fully bound within the material, and there is no hazard to end-users under normal use. Manufacturers operate under certified ISO 45001:2018 Occupational Health & Safety Management Systems.
6mm Recycled Container Glass Aggregate	Filler	30-50%	None	OK	<div></div>	<div></div>	<div></div>	No hazards to end users.  Recycled content: 100% Post Consumer Material
General Purpose Cement off-white								
Portland Cement	65997-15-1	5-15%	H317 (Skin Irrit. 1), H315 (Skin Irrit. 2), H318 (Skin Irrit. 1), H335 (STOT RE 3)	OK	<div></div>	<div></div>	<div></div>	This substance may cause serious eye damage, skin irritation, allergic skin reactions and respiratory irritation in its raw form, the manufacturer operates under certified ISO 45001:2018 Occupational Health & Safety Management Systems to ensure safe handling during production. Once the materials are mixed, set and installed, the substance becomes fully bound within the product and any risk to end-users is minimized. Dust controls such as approved masks or air-filtration systems are required in workplace situations where the product is cut, drilled, ground, abraded, polished or crushed.
Ashes (Residues)	68131-74-8	0.01-1%	H319 (Eye Irrit. 2),	OK	<div></div>	<div></div>	<div></div>	No hazards to end users.
Limestone	1317-65-3	0.01-1%	None	OK	<div></div>	<div></div>	<div></div>	No hazards to end users.
Slags, ferrous metal, blast furnace	65996-69-2	0.01-1%	None	OK	<div></div>	<div></div>	<div></div>	No hazards to end users.
Gypsum	13397-24-5	0.01-1%	None	OK	<div></div>	<div></div>	<div></div>	No hazards to end users.
Ground Granulated Blast Furnace Slag								
Slags, ferrous metal, blast furnace	65996-69-2	1-5%	None	OK	<div></div>	<div></div>	<div></div>	No hazards to end users.
Gypsum	13397-24-5	0.01-1%	None	OK	<div></div>	<div></div>	<div></div>	No hazards to end users.
Proprietary	Block Additives	0.01-1%	None	OK	<div></div>	<div></div>	<div></div>	No declared hazards for this substance.
Proprietary	Block Emulsion Liquid	0.01-1%	None	OK	<div></div>	<div></div>	<div></div>	No declared hazards for this substance.

Iron Oxide	1332-37-2	<1%	None	OK	<div></div>	<div></div>	<div></div>	No hazards to end users.
------------	-----------	-----	------	----	-------------	-------------	-------------	--------------------------

\* No GHS H-Statement classification

Comments:

Other relevant information as necessary