# GLOBAL GREEN TAG INTERNATIONAL



# Haymes Paint Ultra Premium Prepcoat Ultraseal

Haymes Paint Prepcoat Ultraseal is a water-based sealer and undercoat for interior and exterior use. It can be used on a plasterboard, masonry and wood based surfaces and is suitable for both water and oil based topcoats.

Prepcoat Ultraseal
Manufacturing + In-Use
Paint
09 90 00
Mitchell Park, Australia
HAY:UE01:2024:PH
1st March 2024
1st March 2025
GGT International v4.0
20th September 2023
www.globalgreentag.com/certificate/2582



AGRYLIC SEALER UNDERCOAT

PHD Summary		Inventory Threshold:	Inventory Method:
Percentage Assessed:	100%	100ppm Product Level	Nested Materials

<ul> <li>GreenTag Banned List Compliant.</li> <li>GreenTag PHD recognized by WELL * &amp; LEED * Material Transparency &amp; Optimization credits included below:</li> </ul>	ited) for ~ Credit 13: Exposure to
SreenTag PHD recognized by WELL * & LEED * Material Transparency & Optimization credits included below:	ited) for ~ Credit 13: Exposure to
	ited) for ~ Credit 13: Exposure to
Meets Green Star <sup>*</sup> 'Buildings v1.0' as Recognized for~ Credit 9: Responsible Finishes; as a Compliant Technical Document (Audi Toxins, and 'Design & As Built v1.3' and 'Interiors v1.3' ~ Indoor Pollutants.	,
Meets IWBI * WELL * v1.0 as Recognized for ~ Feature 26 (Part 1); Feature 97 (Part 1); as a Compliant Technical Document (Audited meets IWBI * WELL * v2.0 as Recognized for ~ X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for ~ X07 X08 (Part 1).	
Meets USGBC LEED * v4.0 and v4.1 Rating Tool Credit as Recognized for MR Credit: Building Product Disclosure and Optimisation Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.	n - Material Ingredients - Option 1:
S Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive To	oxicant or Endocrine Disruptors.
ASSESSIVIEINT: SEE OVELIDI EXDIDITATION.	lared by: bal GreenTag
	ernational Pty Ltd
SUL470         1.570         SOL70         2.570           RISK ASSESSMENT         100%         10%	Dard Do
IN USE HEALTH (INCL VOCS):	vid Baggs

100%

Expressions® UltraSeal Paint, Haymes Paint, ww.globalgreentag.com/certificate/13267

ISO 14024 & ISO 17065

#### 1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- i. substances used or created during the manufacturing process unless they remain in the final product; or
- ii. substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels of LCARate.

#### 1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

#### 1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

## 2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED \* v4.0 & v4.1, WELL \* v1.0 & v2.0, Green Star \*, the following information is declared from the audit:

Colour	Ingredient Hazard Disclosure
Green	Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Colour	Risk Assessment & In Use Health Assessment Outcome
Green	No Concerns The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petro- leum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.



Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compli- ance	Ingredient Hazard Disclosure	Risk Assess- ment	In Use Health Assessment	Comment
Solvent								
Water		30-50%	None	ОК	-	-		No identifiable risks during manufacture, application and use. Recycled Content: None Nano Materials: No
Polymer								This substance has no declared hazards and i
Proprietary	Solvent	5-15%	None	ОК	-	-	_	primary a solvent - It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Proprietary	Binder	1-5%	None declared	ОК		_		This substance is hazardous to the environ- ment and skin. The manufacturing facility has WHS policy in place to reduce risks. It is a sma proportion of the final product, minimising risk during installation. During use it is bonde and hardened and not identified as a hazard to users. Recycled Content: None Nano Materials: None
Ammonia%	Stabliliser	0.01-1%	H314 (Skin Corr. 1B) H400 (Aquatic Acute 1)	ОК	-	-	_	This substance is hazardous due to its pH cau es skin irritation. The manufacturing facility h WHS policy in place to reduce risks to worker This is present is small quantities in the final product reducing risk during installation. The product is hardened once applied which removes the risk to users. Recycled Content: None Nano Materials: Unknown
Reaction mass of 5-chloro-2-methyl-4- sothiazolin-3-one and 2-methyl-2H -isothi- azol-3-one	Biocide	<0.01%	H330 (Acute Tox. 2) H310 (Acute Tox. 2) H311 (Acute Tox. 3) H314 (Skin Corr. 1C) H318 (Eye Dam. 1) H317 (Skin Sens. 1A) H400 (Aquatic Acute 1) H410 (Aquatic Chronic 1)	ОК	—	-	_	This substance is a biocide and is below the threshold of this assessment. It is necessary tr extend the life of the product and is present at levels deemed acceptable by Global Gre- enTag and GBCA. Recycled Content: None Nano Materials: Unknown
2-methylisothi- azol-3(2H)-one	Biocide	<0.01%	H330 (Acute Tox. 2) H311 (Acute Tox. 3) H301 (Acute Tox. 3) H314 (Skin Corr. 1B) H318 (Eye Dam. 1) H317 (Skin Sens. 1A) H400 (Aquatic Acute 1) H410 (Aquatic Chronic 1)	ОК		—	_	This substance is a biocide and is below the threshold of this assessment. It is necessary to extend the life of the product and is present at levels deemed acceptable by Global Gre- enTag and GBCA. Recycled Content: None Nano Materials: Unknown
Pigment								
Titanium dioxide	Pigment	5-15%	H350 (Carc. 2) IARC 2B	ОК		_		This substance is hazardous to inhale but occurs naturally and is present in the environ ment in high amounts. The manufacturing fa cility has WHS policy in place to reduce risk s workers. This is suspended in a liquid produc reducing risks during installation. The produc is hardened once applied and the material is embedded minimising risk to users. Recycled Content: None Nano Materials: Yes
Proprietary	Additive	0.01-1%	None	ОК	_		-	This substance has no hazards. It has no iden fiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Proprietary	Additive	0.01-1%	H330 (Acute Tox. 2 (Inhalation)) H372 (STOT RE 1)H332 (Acute Tox. 4 (Inhalation)) H318 (Eye Dam. 1)H335 (STOT SE 3 (Resp.))	ОК		_	_	This substance is hazardous to inhale but occurs naturally and is present in the environ ment in high amounts. The manufacturing fa cility has WHS policy in place to reduce risks t workers. This is suspended in a liquid product reducing risks during installation. The produc is hardened once applied and the material is embedded minimising risk to users. Recycled Content: None Nano Materials: Yes

PHD

Propylidynetrimethanol	Dispersion Agent	0.01-1%	H361 (Repr. 2)	ОК		_	-	This substance is hazardous but is used in small amounts in this product. The manufacturing facility has WHS policy in place to reduce risks to workers. The product is hardened once applied and the substance is transformed in the final product to a non hazardous substance and is hardened minimising risk to users. Recycled Content: None Nano Materials: Unknown Nano Materials: Yes
Water	Moisture	0.01-1%	None	ОК	-	-	-	This substance has no hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Acrylic Emulsion								
Water	Solvent	5-15%	None	OK	-	-	-	This solvent has no hazards. It has no identifi- able risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Proprietary	Acrylic Poly- mers	1-5%	None declared	OK		-	-	This polymer has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Alcohols, C12-14, ethox- ylated, sulfates, sodium salts	68891-38-3	0.01-1%	Aquatic Chronic 3 Eye Dam. 1 Skin Irrit. 2	ОК		_	-	This substance is hazardous to the environ- ment and skin. The manufacturing facility has WHS policy and EMS in place to reduce risks. It is a small proportion of the final product, reducing risks during installation and is bonded and not deemed hazardous when dry minimising risks to users. Recycled Content: None Nano Materials: None
Reaction mass of 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -isothi- azol-3-one	55965-84-9	<0.01%	H330 (Acute Tox. 2) H310 (Acute Tox. 2) H301 (Acute Tox. 3) H314 (Skin Corr. 1C) H318 (Eye Dam. 1) H317 (Skin Sens. 1A H400 (Aquatic Acute 1) H410 (Aquatic Chronic 1)	ОК		_	_	This substance is a biocide and is hazardous to eyes, skin and aquatic environments. It is necessary to extend the life of the product. The manufacturing facility has WHS policy and an EMS in place which minimises risks to workers and the environment. It is present at levels accepted by GBCA which reduces risks to acceptable levels. During use it is embedded and hardened and is not expected to have significant exposure to users. Recycled Content: None Nano Materials: Unknown
Precipitated calcium carbo	onate							
Calcium carbonate	471-34-1	1-5%	H318 (Eye Dam. 1) H375 (STOT SE 3 (Resp.) H315 (Skin Irrit. 2)	ОК		_	-	This substance is hazardous due to its pH caus- es skin irritation. The manufacturing facility has WHS policy in place to reduce risks to workers. This is present is small quantities in the final product reducing risk during installation. The product is hardened once applied which removes the risk to users. Recycled Content: None Nano Materials: Unknown
Other Naturally occur- ring Non-Hazardous Substances	Residue	<5%	None declared	ОК	_		-	This product is naturally derived and so may Contain other substances, It is unlikely that these other substances are hazardous during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Talc								
Talc (Mg3H2(SiO3)4)	14807-96-6	5-15%	None	ОК				Recycled Content: Post-C/Post-I/None/ Unknown
Magnesium carbonate	546-93-0	0.01-1%	None	OK				Nano Materials: Yes/No/Unknown Recycled Content: Post-C/Post-I/None/ Unknown Nano Materials: Yes/No/Unknown
Eckalite								
Kaolin	1332-58-7	5-15%	H319 (Eye Dam. 2A) H315 (Skin Irrit. 2) H372 (STOT RE 1) H373 (STOT RE 2) H334 (Resp. Sens. 1) H370 (STOT SE 1) H350 (Carc. 1B) H335 (STOT SE 3 (Resp.)))	ОК		_	-	This substance is hazardous to inhale and its pH causes irritation. The manufacturing facility has WHS policy in place to reduce risks to workers. This substance is mixed into a liquid minimising risk during installation. The product is hardened once applied and users are not expected to be exposed to risks. Recycled Content: None Nano Materials: Unknown



Silicon dioxide	14808-60-7	0.01-1%	H330 (Acute Tox. 2 (Inhalation)) H372 (STOT RE 1) H332 (Acute Tox. 4 (Inhalation)) H318 (Eye Dam. 1) H335 (STOT SE 3 (Resp.))	ОК	_			This substance is hazardous to inhale. The manufacturing facility has WHS policy in place to reduce risks to workers. This substance is mixed into a liquid, minimising risk during installation. The product is hardened once applied and users are not expected to be exposed to risks. Recycled Content: None Nano Materials: Unknown
Other Naturally occur- ring Non-Hazardous Substances	Residue	0.01-1%	None declared	OK	_			This substance is hazardous to inhale The manufacturing facility has WHS policy in place to reduce risks to workers. This substance is suspended in a liquid, minimising risk during installation. The product is hardened once applied and users are not expected to be exposed to risks. Recycled Content: None Nano Materials: Unknown
Limestone								
Limestone	Filler	5-15%	None	ОК				This substance is hazardous to inhale and to touch but occurs naturally and is present in the environment in high amounts. The manufacturing facility has WHS policy in place to reduce risks to workers. This is suspended in a liquid product reducing risks during instal- lation. The product is hardened once applied and the material is embedded minimising risk to users. Recycled Content: None Nano Materials: Unknown Recycled Content: No Nano Materials: Yes
Silicon dioxide	Filler	0.01-1%	None	ОК				This substance is hazardous to inhale and to touch but occurs naturally and is present in the environment in high amounts. The manufacturing facility has WHS policy in place to reduce risks to workers. This is suspended in a liquid product reducing risks during instal- lation. The product is hardened once applied and the material is embedded minimising risk to users. Recycled Content: None Nano Materials: Unknown Recycled Content: No Nano Materials: Yes
Solvent								
Isobutyric acid, mon- oester with 2,2,4-trimeth- ylpentane-1,3-diol	25265-77-4	Fill Column F	None declared	ОК		-	-	Recycled Content: Post-C/Post-I/None/ Unknown Nano Materials: Yes/No/Unknown
Proprietary	Additive	Fill Column F	None declared	ОК	-			Recycled Content: Post-C/Post-I/None/ Unknown Nano Materials: Yes/No/Unknown
Defoamer								
Distillates (petroleum), hydrotreated heavy paraffnic; Baseoil - unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers pre- dominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	Solvent	0.01-1%	H350 (Carc. 1B)	ОК				This solvent is hazardous, particularly in high quantities. The manufacturing facility has WHS policy in place to mitigate these risks. It is used in low levels in the final product reducing risk to during installation. VOC has been tested for this product and meets GBCA imposed VOC emission standards, demonstrating this product's low exposure risk. Recycled Content: None Nano Materials: No



Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil - unspecified; [A complex combination of hydro- carbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocar- bons having carbon numbers predominantly in the range of C20 through C50 and pro- duces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).]	Solvent	0.01-1%	H350 (Carc. 1B)	ОК				This solvent is hazardous, particularly in high quantities. The manufacturing facility has WHS policy in place to mitigate these risks. It is used in low levels in the final product reducing risk to during installation. VOC has been tested for this product and meets GBCA imposed VOC emission standards, demonstrating this product's low exposure risk. Recycled Content: None Nano Materials: No
N,N'-ethylenedi(stear- amide)	Foam Control Agent	0.01-1%	H312 (Acute Tox. 4) H319 ((Dermal)) H335 (Eye Dam. 2A) H315 (STOT SE (Resp.)) H315 (Skin Irrit. 2,) H317 (Skin Sens. 1,) H411 (Aquatic Chronic 2)	ОК				This active ingredient is hazardous but neces- sary for product to function. The manufactur- ing facility has WHS policy in place to mitigate these risks. It is used in low levels and is transformed and hardened in the final product reducing risk to during installation. Recycled Content: None Nano Materials: No
Proprietary	Foam Control Agent	0.01-1%	None declared	ОК		_		There are no declared hazards in this sub- stance. Recycled Content: None Nano Materials: No
Surfactant								
1-Heptanol, 2-propyl- , 7EO	Surfactant	0.01-1%	H318(Eye Dam. 1) H302 Acute Tox. 4 (Oral)) H315 (Skin Irrit. 2) H319 (Eye Dam. 2A) H335 (STOT SE 3 (Resp.)) H411 (Aquatic Chronic 2) H412 (Aquatic Chronic 3)	ОК			-	This substance is hazardous to eyes skin and lungs. The manufacturing facility has WHS pol- icy in place to minimise risk. It is suspended in the paint and is a small proportion of the final product, reducing risks during installation. Users are not expected to be exposed to risks as the substance is embedded in the hardened product during use. Recycled Content: None Nano Materials: None
Proprietary	Solvent	<1%	None declared	ОК	_	_	-	This substance has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Dispersant								Nano Materiais: Unknown
Water	Solvent	0.01-1%	None	ОК	-			This substance has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Proprietary	Dispersant	0.01-1%	None declared	ОК	_		-	This substance has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Additive								
2,2'-butyliminodiethanol	102-79-4	0.01-1%	H318 (Eye Dam. 1)	ОК				Recycled Content: Post-C/Post-I/None/ Unknown Nano Materials: Yes/No/Unknown
Proprietary	Additive	0.01-1%	None declared	ОК				Recycled Content: Post-C/Post-I/None/ Unknown Nano Materials: Yes/No/Unknown
Rheology Modifiers								
Water	Solvent	0.01-1%	None	ОК				This substance has no hazards. It has no identi- fiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Proprietary	Polyurethane Resin	0.01-1%	None	ОК	_	-		This substance has no declared hazards. Resins can cause irritation in manufacturing facilities which is controlled through the WHS policy It has no identifiable risks during, installation or use. Recycled Content: None Nano Materials: Unknown



Reaction mass of 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -isothi- azol-3-one	55965-84-9	<0.01%	H330 (Acute Tox. 2) H310 (Acute Tox. 2) H301 (Acute Tox. 3) H314 (Skin Corr. 1C) H318 (Eye Dam. 1) H317 (Skin Sens. 1A H400 (Aquatic Acute 1) H410 (Aquatic Chronic 1)	ОК		_		This substance is a biocide and is hazardous to eyes, skin and aquatic environments. It is necessary to extend the life of the product. The manufacturing facility has WHS policy and an EMS in place which minimises risks to workers and the environment. It is present at levels accepted by GBCA which reduces risks to acceptable levels. During use it is embedded and hardened and is not expected to have significant exposure to users. Recycled Content: None Nano Materials: Unknown
Rheology modifier								
Cellulose ether	Rheological modifier	0.01-1%	None declared	ОК	-	-	-	This substance has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Proprietary	Additives	0.01-1%	None declared	ОК		-	-	This substance has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Water	7732-18-5	0.01-1%	None	OK	-	-	_	This substance has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Rheology Modifiers								
Water	Solvent	0.01-1%	None	ОК	-	-	-	This substance has declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Proprietary	Polyurethane resin	0.01-1%	None declared	ОК	-	-	-	This substance has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Proprietary	Rheology modifier	<0.01%	None declared	OK	-	-	-	This substance has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
Reaction mass of 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -isothi- azol-3-one	55965-84-9	<0.01%	H330 (Acute Tox. 2) H310 (Acute Tox. 2)H301 (Acute Tox. 3) H314( Skin Corr. 1C H318 (Eye Dam. 1) H317 (Skin Sens. 1A) H400 (Aquatic Acute 1) H410 (Aquatic Chronic 1)	ОК	_	_		This substance is a biocide and is hazardous to eyes, skin and aquatic environments. It is necessary to extend the life of the product. The manufacturing facility has WHS policy and an EMS in place which minimises risks to workers and the environment. It is present at levels accepted by GBCA which reduces risks to acceptable levels. During use it is embedded and hardened and is not expected to have significant exposure to users. Recycled Content: None Nano Materials: Unknown
Biocide								
Water	Solvent	0.01-1%	None	OK	-			This solvent has no hazards with no identifi- able risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown
1,2-benzisothi- azol-3(2H)-one; 1,2-ben- zisothiazolin-3-one	2634-33-5	0.01-1%	H302 (Acute Tox. 4) H315 (Skin Irrit. 2) H318 (Eye Dam. 1) H317 (Skin Sens. 1) H400 (Aquatic Acute 1)	ОК	_			This substance is a biocide and is hazardous to eyes, skin and aquatic environments. It is necessary to extend the life of the product. The manufacturing facility has WHS policy and an EMS in place which minimises risks to workers and the environment. It is a small proportion of the final product and is not expected to be ingested, reducing risks during installation. During use it is embedded and hardened and is not expected to have significant exposure to users. Recycled Content: None Nano Materials: Unknown
Proprietary	Additive	<0.01%	None	ОК			-	This substance has no declared hazards. It has no identifiable risks during manufacturing, installation or use. Recycled Content: None Nano Materials: Unknown

WHS - Workplace Health and Safety GBCA - Green Building Council Australia EMS - Environmental Management System VOC - Volatile Organic Compounds



## Comments:

This product's VOC content has been theoretically calculated to be 0.3g / L by Haymes Paints on the 28th November 2022 using the calculation method prescribed by Green Building Council Australia.

