



HVG Facades Pty Ltd  
Nucleo


Nucleo are solid aluminium panels which are used to provide thermal insulation, weather resistance, and to improve the appearance of buildings. The product has a warranty of 15 years. It can be used in construction and recladding projects, and can be fabricated into panels when folding, routing and cutting using various techniques.

Products/Ranges:	Nucleo in various colours
Product Stages Assessed:	Manufacturing + In-Use
Product Type:	Exterior aluminium panels
CSI Masterformat:	074213
Licenced Site/s:	Xincai City, China
Licence Number:	HVG:XI01:2024:PH
Licence Date:	8th November 2024
Valid To:	8th March 2025
Standard:	GGT International v4.1
Screening Date:	28th October 2024
PHD URL:	<a href="https://www.globalgreentag.com/certificate/2862/">https://www.globalgreentag.com/certificate/2862/</a>



<b>PHD Summary</b>	<b>Inventory Threshold:</b>	<b>Inventory Method:</b>
Percentage Assessed: <b>100%</b>	100ppm Product Level	Nested Materials

- GreenTag Banned List Compliant.
- GreenTag PHD recognized by WELL® & LEED® Material Transparency & Optimization credits included below:
- Meets IWBI® WELL® v1.0 as Recognized for Feature 26 (Part 1); Feature 97 (Part 1); and, meets IWBI® WELL® v2.0 as Recognized for X07 (Parts 1); X08 (Part 2); as a Compliant Technical Document (Audited) for X07 (Part 2); X08 (Part 1).
- Meets USGBC LEED® v4.0 and v4.1 Rating Tool Credit as Recognized for MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.
- Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.



Declared by:  
Global GreenTag  
International Pty Ltd

David Baggs  
CEO

Verified compliant with:  
ISO 14024 & ISO 17065

## 1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- substances used or created during the manufacturing process unless they remain in the final product; or
- substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels of LCARate.

## 1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

## 1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

## 2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED<sup>®</sup> v4.0 & v4.1, WELL<sup>®</sup> v1.0 & v2.0, Green Star<sup>®</sup>, the following information is declared from the audit:

Colour	Ingredient Hazard Disclosure
Green	Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Colour	Risk Assessment & In Use Health Assessment Outcome
Green	No Concerns The risk assessment outcome for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petroleum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.

Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Hazard Disclosure	Risk Assessment	In Use Health Assessment	Comment
Aluminium								
Aluminium Sheet Alloy - 5052 H32	Base material	70-85%	None	OK				There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: No
Aluminium								
Aluminium Sheet-Alloy 3003 H24	Base material	15-30%	None	OK				There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: No
High Polymer Adhesive								
Proprietary	Adhesive	0.01-1%	None	OK				The ingredient may cause eye irritation when comes in contact. The manufacturing facility has OHS process and policies to handle the chemicals ensuring the safety of the workers. This ingredient will be inert in its final product, and there is no identifiable risk to end user. Recycled Content: None Nano Materials: No
PVDF Coating								
3,5,5-trimethylcyclohex-2-enone; isophorone	78-59-1	0.01-1%	H351, H312 H302, H335, H319	OK				The ingredient may cause irritation to skin, eye, respiratory system when in contact for longer period. The manufacturing plant has OHS policy in place, which reduces hazards associated with chemicals and ensures safe chemicals handling. Also, the hazards associated with the PVDF chemicals are inert and will be cured in the final product. There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: No
Ethene, 1,1-difluoro-, homopolymer	24937-79-9	0.01-1%	None, H319, H315, H335	OK				The ingredient may cause skin and eye irritation when comes in contact. The manufacturing facility has OHS process and policies to handle the chemicals ensuring the safety of the workers. This ingredient will be inert in its final product, and there is no identifiable risk to end user. Recycled Content: None Nano Materials: No
Poly(methyl methacrylate-co-ethyl acrylate)	9010-88-2	0.01-1%	None, H332, H302	OK				The ingredient may cause respiratory irritation when comes in contact for longer period without having proper PPE. The manufacturing facility has OHS process and policies to handle the chemicals ensuring the safety of the workers. This ingredient will be inert in its final product, and there is no identifiable risk to end user. Recycled Content: None Nano Materials: No
Proprietary	PVDF Coating	0.01-1%	None	OK				The ingredient may cause eye irritation when comes in contact. The manufacturing facility has OHS process and policies to handle the chemicals ensuring the safety of the workers. This ingredient will be inert in its final product, and there is no identifiable risk to end user. Recycled Content: None Nano Materials: No

Primer								
1,3-ISOBENZO-FURANDIONE, POLYMER WITH 2,5-FURANDIONE AND 2,2'-OXY-BIS[ETHANOL]	26123-45-5	0.01-1%	None	OK				<p>There is no identifiable risk to end user. The final product is an exterior building panels, which is chemically inert and stable.</p> <p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: No</p>
Rutile (TiO2)	1317-80-2	0.01-1%	None	OK				<p>There is no identifiable risk to end user. The final product is an exterior building panels, which is chemically inert and stable. The manufacturing plant has OHS policy in place which reduce hazards associated with chemical handling while manufacturing.</p> <p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: No</p>
Proprietary	64742-94-5	0.01-1%	H304	OK				<p>There is no identifiable risk to end user. The final product is an exterior building panels, which is chemically inert and stable. The manufacturing plant has OHS policy in place which reduce hazards associated with chemical handling while manufacturing.</p> <p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: No</p>
1,3,5-Tri-azine-2,4,6-tri-amine, polymer with formaldehyde, methylated	68002-20-0	0.01-1%	H412, H317, H332, H351, None, H318, H226, H302	OK				<p>There is no identifiable risk to end user. The final product is an exterior building panels, which is chemically inert and stable. The manufacturing plant has OHS policy in place which reduce hazards associated with chemical handling while manufacturing.</p> <p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: No</p>
Proprietary	64742-94-5	0.01-1%	H304	OK				<p>There is no identifiable risk to end user. The final product is an exterior building panels, which is chemically inert and stable. The manufacturing plant has OHS policy in place which reduce hazards associated with chemical handling while manufacturing.</p> <p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: No</p>
Proprietary	64742-95-6	0.01-1%	H350, H340, H304	OK				<p>There is no identifiable risk to end user. The final product is an exterior building panels, which is chemically inert and stable. The manufacturing plant has OHS policy in place which reduce hazards associated with chemical handling while manufacturing.</p> <p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: No</p>
Remaining Ingredients	Primer	< 0.01%	None	OK				<p>There is no identifiable risk to end user. The final product is an exterior building panels, which is chemically inert and stable. The manufacturing plant has OHS policy in place which reduce hazards associated with chemical handling while manufacturing.</p> <p>There is no identifiable risk to end user. Recycled Content: Unknown Nano Materials: No</p>

GHS Classification below:  
H302/H304 (Fatal if swallowed)  
H311 (Toxic skin contact)  
H314( skin/eye damage)  
H315 (Skin irritation)  
H317 (Allergic skin reacion)  
H318(Eye damage)  
H317(Allergic skin reaction)  
H330 (Fatal if inhaled)  
H332 (Harmful if inhaled)  
H350 ( May cause cancer)  
H373 (May cause organ damage)  
H400/H413 (Very toxic to aquatic life)

Comments:

The product has a warranty period of (15) years from the date that the Nucleo is first purchased from HVG Facades. The product has been tested with the standard AS 1530.1:1994 (R2016), and the product is not deemed combustible according to the test criteria.