## GLOBAL GREEN TAG INTERNATIONAL



## Karndean International Pty Ltd Karndean Mega-Bond Adhesive, Karndean Hi-Tack Pressure Sensitive Adhesive

Karndean Mega-Bond is a permanent bond, water based adhesive that is solvent-free and odourless, incorporating a polymer acrylic sealer to give good initial grab and excellent open time. Karndean Hi-Tack Pressure Sensitive Adhesive is a low odour, solvent-free, pressure-sensitive adhesive specifically designed for installing loose lay LVT.

| Products/Ranges:   | Karndean Mega-Bond Adhesive, Karndean Hi-Tack<br>Pressure Sensitive Adhesive   |  |  |  |  |
|--|--|--|--|--|--|
| Product Stages Assessed:   | Manufacturing + In-Use   |  |  |  |  |
| Product Type:  | Adhesives  |  |  |  |  |
| CSI Masterformat:  | 09 96 00   |  |  |  |  |
| Licenced Site/s:<br>Licence Number:<br>Licence Date:<br>Valid To:<br>Standard: | Victoria, Australia and Shandong, China<br>KDI:AD01:2024:PH<br>1 April 2025<br>23 January 2026<br>GGT International v4.1 |  |  |  |  |
| Screening Date:<br>PHD URL:  | 11 December 2024<br>https://www.globalgreentag.com/certificate/2   |  |  |  |  |



# Health**Rate**™



PHD Summary Percentage Assessed: 100% Inventory Threshold: 100ppm Product Level Inventory Method: Nested Materials

GreenTag Banned List Compliant.

SreenTag PHD recognized by WELL \* & LEED \* Material Transparency & Optimization credits included below:

Meets IWBI<sup>\*</sup> WELL<sup>\*</sup> v1.0 as Recognized for ~ Feature 26 (Part 1); Feature 97 (Part 1); as a Compliant Technical Document (Audited) for ~ Feature 04 (Part 1, 2, 3, 4, 5); Feature 25 (Part 2), and, meets IWBI<sup>\*</sup> WELL<sup>\*</sup> v2.0 as Recognized for ~ X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for ~ X06 (Part 1); X07 (Part 2); X08 (Part 1).

Meets USGBC LEED\* v4.0 and v4.1 Rating Tool Credit as Recognized for MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.

Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.



Declared by: Global GreenTag International Pty Ltd



David Baggs CEO Verified compliant with: ISO 14024 & ISO 17065

Karndean Mega-Bond Adhesive, Karndean Hi-Tack Pressure Sensitive Adhesive, Karndean International Pty Ltd, https://www.globalgreentag.com/certificate/2887

#### 1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- i. substances used or created during the manufacturing process unless they remain in the final product; or
- ii. substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels of LCARate.

#### 1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

#### 1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

#### 2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED \* v4.0 & v4.1, WELL \* v1.0 & v2.0, Green Star \*, the following information is declared from the audit:

| Colour   | Ingredient Hazard Disclosure  |
|----------|---|
| Green    | Level 4<br>The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.  |
| Yellow   | Level 3<br>The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.  |
| Orange   | Level 2<br>The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.   |
| Red      | Level 1<br>The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.  |
| Black    | Level 0<br>The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned<br>from being detectable above trace amounts in the final product.  |
| Grey     | Grey Chemical<br>Not able to be categorised due to lack of toxicity impact information.   |
| Colour   | Risk Assessment & In Use Health Assessment Outcome  |
| Green    | No Concerns<br>The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered<br>highly unlikely and therefore without concerns.  |
| Yellow   | Human Health Comment<br>The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered<br>low with an unlikely potential risk.   |
| Orange   | Issue of Concern or Issue of Concern Minimised<br>The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low<br>to high with a higher than unlikely potential for risk.  |
| Red      | Red Light Comment or Red Light Comment Minimised<br>The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low<br>to extremely high with a moderate potential for risk.  |
| Dark Red | Red Light Exclusion<br>The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered<br>medium to extremely high with a likely potential for risk.  |
| Grey     | Grey Chemical<br>Not able to be categorised due to lack of toxicity impact information.   |
| Black    | Banned Ingredients<br>Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petro-<br>leum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products<br>Standard v1.1/1.2 |

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.



| Ingredient<br>Name   | CAS Num-<br>ber OR<br>Function | Propor-<br>tion<br>in fin-<br>ished<br>product | GHS, IARC<br>& Endocrine<br>Category                 | REACH<br>Compli-<br>ance | Ingredient<br>Hazard<br>Disclosure | Risk As-<br>sessment | In Use<br>Health<br>Assess-<br>ment | Comment  |
|--|--------------------------------|--|--|--------------------------|------------------------------------|----------------------|-------------------------------------|--|
| Reaction mass of<br>5-chloro-2-methyl-4-<br>isothiazolin-3-one and<br>2-methyl-2H -isothi-<br>azol-3-one | 55965-84-9                     | <0.01%   | H330, H310, H301,<br>H314, H318, H317,<br>H400, H410 | ок                       |                                    | _                    | _                                   | The substance may cause eye or skin<br>irritation. The manufacturing facility<br>has OHS in place to reduce risks. The<br>substance is cured after application.<br>In this stage there are no identifiable<br>risks associated with this substance<br>for end users.<br>Recycled Content: Unknown<br>Nano Materials: Unknown   |
| Biocide  | 2682-20-4                      | <0.01%   | H330, H311, H301,<br>H314, H318, H317,<br>H400, H410 | ок                       |                                    | _                    |                                     | The unreacted substance is harmful<br>if inhaled, is toxic if swallowed or in<br>contact with skin, and to aquatic life<br>with long lasting effects. The man-<br>ufacturing facility has OHS policies<br>and Environmental Management<br>system in place to reduce the risks.<br>The substance in the final product<br>is cured and bounded to the matrix.<br>In this stage it is less harmful to<br>humans.<br>Recycled Content: Unknown<br>Nano Materials: Unknown  |
| 1,2-benzisothi-<br>azol-3(2H)-one; 1,2-ben-<br>zisothiazolin-3-one                                       | 2634-33-5                      | <0.01%   | H302, H315, H318,<br>H317, H400                      | ок                       |                                    |                      |                                     | The unreacted substance is harmful<br>if inhaled, is toxic if swallowed or in<br>contact with skin, and to aquatic life<br>with long lasting effects. The man-<br>ufacturing facility has OHS policies<br>and Environmental Management<br>system in place to reduce the risks.<br>The substance in the final product<br>is cured and bounded to the matrix.<br>In this stage it is less harmful to<br>humans.<br>Recycled Content: Unknown<br>Nano Materials: /Unknown |
| Polymer substances   | Proprietary                    | 70-85%   | None   | OK                       | -                                  | _                    | -                                   | There are no identifiable risks associ-<br>ated with this substance.<br>Recycled Content: Unknown<br>Nano Materials: Unknown   |
| Acrylic Thickener  | Proprietary                    | 5-15%  | None   | ОК                       |                                    | _                    | _                                   | There are no identifiable risks associ-<br>ated with this substance.<br>Recycled Content: Unknown<br>Nano Materials: Unknown   |
| Glycol   | 111-46-6                       | 0.01-1%  | H302   | ОК                       | -                                  | _                    | -                                   | This substance is harmful if swal-<br>lowed. The manufacturing facility<br>has OHS policies in place to reduce<br>the risks. The substance in the final<br>product is cured. In tis state it is less<br>harmful to end users.<br>Recycled Content: Unknown<br>Nano Materials: Unknown  |
| Poly(oxy-1,2-ethanediyl),<br>a-[bis(1-phenylethyl)<br>phenyl]-ω-hydroxy-                                 | 9086-52-6                      | 0.01-1%  | H411, H315, H319                                     | ОК                       |                                    | _                    |                                     | The substance may cause eye or skin<br>irritation. The manufacturing facility<br>has OHS policies and Environmental<br>management system in place to<br>reduce risks. The substance is cured<br>after application. In this stage the<br>risks associated with this substance<br>for end users is low.<br>Recycled Content: Unknown<br>Nano Materials: Unknown  |
| Polychloro copper phtha-<br>locyanine  | 1328-53-6                      | 0.01-1%  | None   | ОК                       |                                    |                      |                                     | There are no identifiable risks associ-<br>ated with this substance.<br>Recycled Content: Unknown<br>Nano Materials: Unknown   |



| Pigment                                      | Proprietary | 0-5%    | H302, H315, H318,<br>H400, H317, H331,<br>H317, H410, H335 | ок | _ | - | _ | Th<br>irri<br>ga<br>ha<br>rec<br>Th<br>ass<br>en<br>Re<br>Na                    |
|--|-------------|---------|--|----|---|---|---|---|
| Limestone                                    | 1317-65-3   | 30-50%  | H315, H318, H319,<br>H335, H350, H372                      | ок |   |   |   | Th<br>ag<br>irri<br>ha<br>the<br>Th<br>like<br>Th<br>ha<br>Re<br>Na             |
| Water  | 7732-18-5   | 15-30%  | None   | ОК |   |   |   | Th<br>ate<br>Re<br>Na   |
| Resin  | Proprietary | 5-15%   | None   | ОК |   |   |   | Th<br>ate<br>Re<br>Na   |
| Cellulose, 2-hydroxypro-<br>pyl methyl ether | 9004-65-3   | 5-15%   | H372   | ок |   |   |   | Th<br>da<br>ex<br>ha<br>ris<br>Th<br>pro<br>wi<br>us<br>en<br>Re<br>Na          |
| Sodium chloride                              | 7647-14-5   | 0.01-1% | None   | ОК |   | - |   | Th<br>ate<br>Re<br>Na   |
| Glycerol, propoxylated                       | 25791-96-2  | 0.01-1% | None   | ОК |   |   |   | Th<br>ate<br>Re<br>Na   |
| Glyoxal, ethanedial,<br>2-oxoethanal         | 107-22-2    | 0.01-1% | H341, H332, H315,<br>H319, H317                            | ок |   | - | - | Th<br>irri<br>ha<br>rec<br>Th<br>ass<br>en<br>Re<br>Na                          |
| Gum Rosin                                    | 8050-09-7   | 1-5%    | H317   | ОК |   |   |   | Th<br>ski<br>in<br>les<br>Re<br>Na  |
| Solvent                                      | 64742-47-8  | 1-5%    | H304   | ОК | _ |   | _ | Th<br>lov<br>ufa<br>in<br>ma<br>are<br>Sa<br>the<br>Th<br>fin<br>ha<br>Re<br>Na |
| Clay   | 1302-87-0   | 0.01-1% | None   | ОК | - |   |   | Th<br>ate<br>Re<br>Na   |

he substance may cause eye or skin ritation. It is harmful to aquatic oranisms. The manufacturing facility as OHS and EMS policies in place to educe the risks. here are no identifiable risks ssociated with this substance to the nd user. ecycled Content: Unknown ano Materials: Unknown he substance may cause eye damge, skin irritation and respiratory ritation. The manufacturing facility as OHS policies in place to mitigate ne risks during manufacturing stage. he workers are recommended to se Health and Safety equipments ke PPE during the installation stage. he substance once cured is less armful to end users. ecycled Content: Unknown ano Materials: Unknown here are no identifiable risks associed with this substance. ecvcled Content: Unknown ano Materials: Unknown here are no identifiable risks associed with this substance. ecycled Content: Unknown ano Materials: Unknown he unreacted substance may cause

damage to organs with repeated exposure. The manufacturing facility nas OHS policies to reduce these risks. The substance is cured in the final

product forms a stable film, which will reduce the exposure to end users. In this state it is less harmful to end users. Recycled Content: Unknown

Nano Materials: Unknown

There are no identifiable risks associated with this substance. Recycled Content: Unknown Nano Materials: Unknown

There are no identifiable risks associated with this substance. Recycled Content: Unknown

Nano Materials: Unknown The substance may cause eye or skin irritation. The manufacturing facility has OHS and EMS policies in place to reduce the risks.

There are no identifiable risks associated with this substance to the end user.

Recycled Content: Unknown Nano Materials: Unknown

The unreacted substance may cause skin irritation. The substance is cured in the final product. In this stage it is less harmful to end users. Recycled Content: Unknown Nano Materials: Unknown

This substance may be fatal if swallowed and enters airways.The manufacturing facility has OHS policies in place to mitigate the risks during manufacturing stage. The workers are recommended to use Health and Safety equipments like PPE during the installation stage. The substance is embedded in the final product. In tis stage it is less

harmful to humans. Recycled Content: Unknown Nano Materials: Unknown

There are no identifiable risks associated with this substance. Recycled Content: Unknown Nano Materials: Unknown

PHD

| Biocide 2  | Proprietary | 0.01-1% | H318,H317,H412                  | ок | _ | - | _ | The unreacted substance may cause<br>eye or skin irritation. The manufactur-<br>ing facility has OHS and EMS policies<br>in place to reduce the risks.<br>There are no identifiable risks<br>associated with this substance to the<br>end user.<br>Recycled Content: Unknown<br>Nano Materials: Unknown   |
|--|-------------|---------|---------------------------------|----|---|---|---|---|
| 2-(2-butoxyethoxy)eth-<br>anol; diethylene glycol<br>monobutyl ether | 112-34-5    | 1-5%    | H319                            | ОК |   | _ | _ | The unreacted substance may cause<br>eye irritation. The manufacturing<br>facility has OHS policies in place to<br>reduce the risks.<br>There are no identifiable risks<br>associated with this substance to the<br>end user.<br>Recycled Content: Unknown<br>Nano Materials: Unknown   |
| Surfactant   | 166736-08-9 | 0.01-1% | H318, H302, H315,<br>H412, H319 | ОК |   |   | _ | The substance may cause eye or<br>skin irritation. it is toxic to aquatic<br>organisms.The manufacturing facility<br>has OHS and EMS policies in place to<br>reduce the risks.It is recommended<br>to use safety equipments during<br>application.<br>The substance in cured and solidified<br>after application. In this stage it is<br>less harmful to end users.<br>Recycled Content: Unknown<br>Nano Materials: Unknown |
| Oleic acid, ethoxylated  | 9004-96-0   | 0.01-1% | H319, H315, H412,<br>H302       | ОК |   |   | _ | The substance may cause eye or<br>skin irritation. it is toxic to aquatic<br>organisms.The manufacturing facility<br>has OHS and EMS policies in place to<br>reduce the risks.It is recommended<br>to use safety equipments during<br>application.<br>The substance in cured after applica-<br>tion. In this stage it is less harmful to<br>end users.<br>Recycled Content: Unknown<br>Nano Materials: Unknown              |
| Dispersing agent   | Proprietary | 70-85%  | None                            | ОК | - | - | - | There are no identifiable risks associ-<br>ated with this substance.<br>Recycled Content: Unknown<br>Nano Materials: Unknown  |

#### GHS H-Statement classification

H228:Water reaction 2

H261: Flammable Solid 1

H302: Acute Toxicity 4

H314: Skin Corrosion 1B

H315: Skin Irritation 2

H317: Skin Sensitising 1

H318: Eve Damage 1

H319: Eye Irritation 2 H331: Acute Toxicity 3

H332: Acute Toxicity 4

H335: Specific target organ Single Exposure 3, Lungs/ Respiratory H340: Germ cell mutagenicity

H350: Carcinogenicity 1B

H360: Reproductive Toxicity 1B

H373: Specific target organ repeated, Auditory system

H411: Aquatic Acute 1/ Aquatic Acute Chronic 2

H412: Aquatic Acute 1/ Aquatic Acute Chronic 3

IARC classification: IARC 1: Carcinogenic to humans IARC 3: Suspected to be Carcinogenic to humans

Comments:

VOC Emissions: TVOC emission g/l for the final product is <50g/l which is the Max TVOC content in g/l for ready to use product as per GBCA requirements. VOC test conducted as per ASTM D3690-05 Standard Practice for Determining Volatile Organic Compound (VOC) Content of Paints and Related Coatings and is conducted by FORAY Laborateries (NATA Accreditation 1231).

