

# Autex Industries Ltd / Autex Pty Ltd

# **Embrace**

Embrace<sup>™</sup> Strech Wool is a carbon sink textile fabric made with Rubisco<sup>®</sup> natural materials from New Zealand strong wool. The product is suitable for internal applications such as walls and screen furnishings

Products/Ranges: Embrace - Stretch Wool - 4mm

Product Stages Assessed: Manufacturing + In-Use

Product Type: Acoustic Panels

CSI Masterformat: 09 84 14

Licenced Site/s:
Licence Number:
AUT:AN01:2025:PH
Licence Date:
16th May 2025
Valid To:
16th May 2026
Standard:
GGT International v4.1
Screening Date:
14th April 2025

PHD URL: www.globalgreentag.com/certificate/2948





**PHD Summary** 

Percentage Assessed:

100%

Inventory Threshold: 100ppm Product Level

Inventory Method:
Nested Materials

GreenTag Banned List Compliant.

GreenTag PHD recognized by WELL \* & LEED \* Material Transparency & Optimization credits included below:

Meets IWBI \* WELL \* v1.0 as Recognized for ~ Feature 26 (Part 1); Feature 97 (Part 1); as a Compliant Technical Document (Audited) for ~ Feature 11 (Part 1, 5); Feature 25 (Part 1, 2, 3, 4, 5), and, meets IWBI \* WELL \* v2.0 as Recognized for ~ X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for ~ X01 (Part 1, 2, 3); X05 (Part 1, 2); X07 (Part 2); X08 (Part 1).

Meets USGBC LEED\* v4.0 and v4.1 Rating Tool Credit as Recognized for MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.

Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.

INGREDIENT HAZARD DISCLOSURE, RISK ASSESSMENT, & IN USE HEALTH, % by mass. See over for explanation.

100%

ASSESSMENT:

INGREDIENT HAZARD DISCLOSURE

0.03% 0.40% 0.01% 99.49% 0.07%

RISK ASSESSMENT

100%

IN USE HEALTH (INCL YOCS): HEALTHRATE

Declared by: Global GreenTag International Pty Ltd



David Baggs CEO Verified compliant with: ISO 14024 & ISO 17065

## 1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions):
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

#### It is not intended to assess:

- i. substances used or created during the manufacturing process unless they remain in the final product; or
- ii. substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels of LCARate.

### 1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

# 1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

# 2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED \* v4.0 & v4.1, WELL \* v1.0 & v2.0, Green Star \*, the following information is declared from the audit:

_	
Colour	Ingredient Hazard Disclosure
Green	Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	Grey Chemical  Not able to be categorised due to lack of toxicity impact information.
Colour	Risk Assessment & In Use Health Assessment Outcome
Green	No Concerns The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petroleum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.



Ingredient Name	CAS Number OR	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compli- ance	Ingredient Hazard Disclosure	Risk As- sessment	In Use Health Assess- ment	Comment
Wool	Natural fibre	85-100%	None	ОК				There are no identifiable risks assoc ated with this substance in the final product. Recycled Content: None Nano Materials: Unknown
Proprietary Substance	Flame reta- dent	0.01-1%	H301, H318	ОК				This substance is toxic if swallowed and may cause serious eye damage, primarily during the manufacturing stage. However, the manufacturing facility has health and safety policie and procedures in place to minimist these risks.  The substance is embedded in the final product. In this stage it is less harmful to the end users.  Recycled Content: None Nano Materials: Unknown
Dyes								
Proprietary Substance	Azo dye, chromate complex	<0.01%	H411	ОК	_	_		The substance is toxic to aquatic life with long lasting effects. The manufacturing facility is ISO 14001 certified. The substance is present in minor quantity in the final produt and is chemically bonded. There are no identifiable risks to the end users. Recycled Content: None Nano Materials: Unknown
Proprietary Substance	Azo dye, cobalt complex	<0.01%	H412	OK		_	_	The substance is toxic to aquatic life with long lasting effects. The manufacturing facility is ISO 14001 certified. The substance is present in minor quantity in the final produt and is chemically bonded. There are no identifiable risks to the end users. Recycled Content: None Nano Materials: Unknown
Proprietary Substance	Azo dye, chromate complex	<0.01%	H411 H317	ОК				The substance may cause skin irritation. It is also toxic to aquatic organisms. The manufacturing facility is ISO 14001 certified. The substance is present in minor quantity in the final produt and is chemically bonded. There are no identifiable risks to the end users. Recycled Content: None Nano Materials: Unknown
Proprietary Substance	Modified lignin	<0.01%	H319, H335	OK				There are no identifiable risks associated with this substance to the end users. Recycled Content: None Nano Materials: Unknown
Sodium chloride	14762-51-7	<0.01%	None	ОК		_		There are no identifiable risks associated with this substance to the end users. Recycled Content: None Nano Materials: Unknown



Azo dye, chromate complex	<0.01%	H411, H410, H317, None, H400	OK				The substance may cause skin and eye irritation, and respiratory issues from inhalation of dust. It may also lead to skin sensitisation. The compound is harmful to aquatic life and should be handled carefully to prevent environmental contamination. The risks are more during the manufacturing stage. The manufacturing facility has OHS and EMS policies in place to reduce these risks. There are no identifaibe risks associated with this substance to the end users. Recycled Content: Unknown Nano Materials: Unknown
Azo dye, chromate complex	<0.01%	H319, H317	ОК		_	_	The unreacted substance may cause eye or skin irritation. The risks are more during the manufacturing stage. The manufacturing facility has OHS and EMS policies in place to reduce these risks. There are no identifiable risks associated with this substance to the end users.  Recycled Content: Unknown Nano Materials: Unknown
Azo dye, chromate complex	<0.01%	None	OK				There are no identifiable risks associated with this substance to the end users. Recycled Content: None Nano Materials: Unknown
Azo dye, chromate complex	<0.01%	H302, H411, H319	ОК		_	_	The unreacted substance may cause eye irritation. It is also toxic to aquatic organisms. The risks are more during the manufacturing stage. The manufacturing facility has OHS and EMS policies in place to reduce these risks. There are no identifaibe risks associated with this substance to the end users.  Recycled Content: Unknown Nano Materials: Unknown
Azo dye, chromate complex	<0.01%	H411, H319	OK				The unreacted substance may cause eye irritation . It is also toxic to aquatic organisms. The risks are more during the manufacturing stage. The manufacturing facility has OHS and EMS policies in place to reduce these risks. There are no identifaibe risks associated with this substance to the end users.  Recycled Content: Unknown Nano Materials: Unknown
Azo dye, chromate complex	<0.01%	None, H412, H302, H312, H319, H315	ОК				The unreacted substance may cause eye or skin irritation. The risks are more during the manufacturing stage. The manufacturing facility has OHS and EMS policies in place to reduce these risks. There are no identifiable risks associated with this substance to the end users. Recycled Content: None Nano Materials: Unknown
Sulphonated polymer	<0.01%	H319, None, H315, H412, H318	ОК				The unreacted substance may cause eye or skin irritation. It is toxic to aquatic organisms. The risks are more during the manufacturing stage. The manufacturing facility has OHS and EMS policies in place to reduce these risks. There are no identifiable risks associated with this substance to the ned users.  Recycled Content: None Nano Materials: Unknown
	Azo dye, chromate complex  Azo dye, chromate complex  Azo dye, chromate complex  Azo dye, chromate complex  Azo dye, chromate complex	Azo dye, chromate complex  Azo dye, chromate complex	Azo dye, chromate complex  Azo dye, chromate complex	Azo dye, chromate complex         <0.01%	Azo dye, chromate complex  Azo dye, chromate com	Azo dye, chromate complex	Azo dye, chromate complex  Azo dye, chromate com



H319, None, H315, H412, H318  H319  H319, H317, H410, None, H400, H315, H318, H320, H411	OK OK 10, 15, OK				The unreacted substance may cause eye or skin irritation. It is toxic to aquatic organisms. The risks are more during the manufacturing stage. The manufacturing facility has OHS and EMS policies in place to reduce these risks. There are no identifiable risks associated with this substance to the end users.  Recycled Content: None Nano Materials: Unknown  There are no identifiable risks associated with this substance to the end users.  Recycled Content: None Nano Materials: Unknown  The unreacted substance may cause eye or skin irritation. It is toxic to aquatic organisms. The risks are more during the manufacturing stage. The manufacturing facility has OHS and EMS policies in place to reduce these risks. There are no identifiable risks associated with this substance to the end users.  Recycled Content: None Nano Materials: Unknown
H319, H317, H410, 01% None, H400, H315, H318, H320, H411	10, 15, OK 11				associated with this substance to the end users. Recycled Content: None Nano Materials: Unknown  The unreacted substance may cause eye or skin irritation. It is toxic to aquatic organisms. The risks are more during the manufacturing stage. The manufacturing facility has OHS and EMS policies in place to reduce these risks. There are no identifiable risks associated with this substance to the end users. Recycled Content: None
None, H400, H315, H318, H320, H411	15, OK 11				eye or skin irritation. It is toxic to aquatic organisms. The risks are more during the manufacturing stage. The manufacturing facility has OHS and EMS policies in place to reduce these risks. There are no identifiable risks associated with this substance to the end users.  Recycled Content: None
D1% H411, H317	ОК				
					There are no identifiable risks associated with this substance to the end users. Recycled Content: None Nano Materials: Unknown
01% H332, H302, H317, H400, H410	<sup>17,</sup> OK				The substance is suspected to be carcinogenic to humans. It is toxic to humans if swallowed and also to aquatic organisms with long lasting effects.  The manufacturing facilities has OHS and EMS policies in place to reduce the risks during manufacturing stage. The substance present in trace quantities in the fnal product. The hazard exposure to end users are unlikely. Recycled Content: None Nano Materials: Unknown
01% H319	ОК				The substance may cause serious eye irritation. The risks are more during the manufacturing stage. The manufacturing facility has OHS policies in place to reduce thses risk. It is recommended to use PPE while handling the susbtance. There are no identifiable risks associated with this substance to the end users.  Recycled Content: NoneNano Materials: Unknown
	ОК	_	_	_	There are no identifiable risks associated with this substance to the end users. Recycled Content: None Nano Materials: Unknown
)1%	6 H319 % None				



Mothproof								
Proprietary Substance	Insect resist agent	0.01-1%	None	ОК	_			There are no identifiable risks associated with this substance to the end users. Recycled Content: None Nano Materials: Unknown"
Process agent								
Bis(hydroxylammonium) sulfate; hydroxylamine sulfate (2:1)	Optical brightener process agent	0.01-1%	H290, H351, H312, H302, H373, H315, H319, H317, H400	ОК				The substance is carcinogenic to humans. It may also cause eye, skin or respiratory irritation. The substance is toxic to humans and aquatic organisms. The risks are higher during the manufacturing stage. The manufacturing facility has OHS and EMS policies in Place. Autexs is ISO 14001 certified. The substance is not present in the final product as such. There are no identifiable risks for the end users. Recycled Content: None Nano Materials:Unknown

H290 - Corrosive to metals,

H301 – Toxic if swallowed,

H302 – Harmful if swallowed,

H312 - Harmful in contact with skin,

H315 – Skin irritation,

H317 – Allergic skin reaction,

H318 – Serious eye damage,

H319 – Eye irritation,

H320 – Eye irritation (non-GHS),

H332 – Harmful if inhaled,

H351 – Suspected of causing cancer,

H373 – Organ damage (prolonged exposure),

H400 – Very toxic to aquatic life,

H410 – Very toxic, long-lasting aquatic effects,

H411 – Toxic, long-lasting aquatic effects,

H412 – Harmful, long-lasting aquatic effects.