




# Tarkett Australia Pty Ltd Safetred Universal Plus


Safetred Universal plus is a tough durable safety flooring for use in any heavy duty application where safety underfoot is a priority. Safetred Universal Plus is suitable for use in more demanding areas such as busy commercial kitchens, food preparation areas and workshops which require a higher level of slip resistance. This product is available in 9 colours and has a R12 Slip resistance rating.

<b>Products/Ranges:</b>	<b>Safetred Universal Plus</b>
<b>Product Stages Assessed:</b>	<b>Material Inputs, manufacturing, in-use</b>
<b>Product Type:</b>	<b>Flooring product</b>
<b>CSI Masterformat:</b>	<b>TBC</b>
<b>Licenced Site/s:</b>	<b>Lenham, UK</b>
<b>Licence Number:</b>	<b>TAR:SA01:2022:PH</b>
<b>Licence Date:</b>	<b>8th March 2022</b>
<b>Valid To:</b>	<b>8th March 2023</b>
<b>Standard:</b>	<b>GGT International v4.0</b>
<b>Screening Date:</b>	<b>4th February 2022</b>
<b>PHD URL:</b>	<b><a href="https://www.globalgreentag.com/getfile/12923/phd.pdf">https://www.globalgreentag.com/getfile/12923/phd.pdf</a></b>



<b>PHD Summary</b>	<b>Inventory Threshold:</b>	<b>Inventory Method:</b>
Percentage Assessed: <b>100%</b>	100ppm Product Level	Nested Materials

- GreenTag Banned List Compliant.
- Product Meets Optimisation requirements - No Grey or Red Light category ingredient.
- Meets Green Star Buildings v1.0 Credit 9: Responsible Finish, Credit 13: Exposure to Toxins, Green Star Design & As Built v1.3 Credit 13 Indoor Pollutant, Green Star Interiors v1.3 Credit 12: Indoor Pollutant
- Meets WELL™ v1.0 Features 97: Material Transparency, Feature 4: VOC Reduction and, WELL™ v2.0 Features – X07: Material Transparency, X08: Material Optimisation, X06: VOC Restrictions.
- Meets USGBC LEED® v4.0 and v4.1 Rating System MR Credit: “Building Product Disclosure and Optimisation - Material Ingredients” - Option 1: Material Ingredient Reporting and Option 2 - International ACP - REACH Optimisation.
- No worker, user, and environmental exposure to Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.



Declared by:  
Global GreenTag  
International Pty Ltd

**David Baggs**  
CEO & Program Director  
Verified compliant with:  
ISO 14024 & ISO 17065

## 1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risk associated with any certified products and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle, (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- i. substances used or created during the manufacturing process unless they remain in the final product; or
- ii. substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH GoldHEALTH or PlatinumHEALTH) rating relates ONLY to GGT Standard Sustainability Assessment Criteria 3, and is declared separately to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels.

## 1.2 Preparing an PHD

GGT PHDs are prepared using Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and as an outcome of a successful Application for Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the GGT International Standard v4.0, Personal Products Standard v1.0/1.1, and Cleaning Products Standard v1.1/1.2 and above Program Rules.

## 1.3 External Peer Review

Every GGT PHD is independently peer reviewed by an external Consultant Toxicologist and Member of the Australian College of Toxicology & Risk Assessment.

## 2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients such as LEED v4.0 & v4.1, WELL v1 & v2, Living Building Challenge, Estidama etc., the following information is declared from audit:

Colour	Ingredient Name
Green	<b>Ideal- Low</b> No concerns- ingredient safe at any level based on current known science, % of the ingredient, and relevance to use context'
Yellow	<b>Medium to Low</b> Hazardous Ingredient with minor level of "Issue of Concern" depending on % of the ingredient, hazard level, and relevance to use context'
Orange	<b>Moderate</b> Hazardous ingredient with "Issue of Concern" or "Issue of Concern Minimised" depending on % of the ingredient, hazard level, and relevance to use context'
Red	<b>Problematic (Red): Target for Phase</b> Hazardous ingredient with 'Red Light" or "Red Light Minimised" concern depending on % of the ingredient, hazard level, and relevance to use context'
Dark Red	<b>Very Problematic (Dark Red): Target for Phase</b> Very Hazardous ingredient with 'Red Light Exclusion" concern depending on % of the ingredient, hazard level, and relevance to use context'
Grey	<b>Uncategorised</b> Not able to be categorised due to lack of toxicity impact information.
Black	<b>Banned Ingredients</b> Petroleum, Parabens plus a wide range of compounds stipulated by cleaning/personal products standards.

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.

Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Polyvinyl Chloride (PVC)	9002-86-2	10-20%	H315(Skin Irrit. 2) H319((Eye Irrit. 2) H335(STOT SE 3) H400(Aquatic Acute 1) H412(Aquatic Chronic 3)	OK				PVC- Paste is toxic to aquatic life with long lasting effects. It causes skin and eye irritation in humans. However, the manufacturer of the product operates under an Environmental Management System and an Occupational Health and Safety System, therefore the risk is considered low. The substance is chemically combined into the final product, the hazards will not present in the final product. Therefore, it is not expected to cause harm to the users.
PVC Scraps	Base material	35-45%	None	OK				Recycled Content: Post-I Nanomaterials: No
i-isononyl-cyclohexane-1,2-dicarboxylate	166412-78-8	3-10%	None	OK				Recycled Content: None Nanomaterials: No
1,4-Benzenedicarboxylic acid, 1,4-dibutyl ester	Plasticizer	1-5%	None	OK				Recycled Content: None Nanomaterials: No
Ca-Zn soap	Stabiliser	<1%	None	OK				Recycled Content: None Nanomaterials: No
Epoxidised soybean oil	8013-07-08	<1%	H317(Skin Sens 1)	OK				Epoxidised soybean oil can cause skin irritation if contacted. However, the manufacturer has an Occupational Health and Safety System in place, so the risks are considered low in the manufacturing stage. The substance is chemically combined into the final product, the hazards will not present in the final product. Therefore, it is not expected to cause harm to the users.
Triisotridecyl phosphite	77745-66-5	<1%	H317(Skin Sens 1)	OK				Triisotridecyl phosphite can cause skin irritation if contacted. However, the manufacturer has an Occupational Health and Safety System in place, so the risks are considered low in the manufacturing stage. The substance is chemically combined into the final product, the hazards will not present in the final product. Therefore, it is not expected to cause harm to the users.
Calcium carbonate (synthetic)	471-34-1	20-30%	None	OK				Recycled Content: None Nanomaterials: No
Magnesium carbonate	546-93-0	10-20%	None	OK				Recycled Content: None Nanomaterials: No
Titanium dioxide	13463-67-7	<1%	H351(Carc 2)	OK				The Titanium dioxide may cause cancer if contacted. However, the manufacturer of the product operates under an Occupational Health and Safety System and therefore risks are considered low at the manufacturing stage. The substance is chemically embedded into the final product, the hazards will not present in the final product. Therefore, it is not expected to cause harm to the users.
CI Pigment Black 7	1333-86-4	<1%	None	OK				Recycled Content: None Nanomaterials: No
CI Red 144	5280-78-4	<1%	None	OK				Recycled Content: None Nanomaterials: No
CI Red 101	90452-21-4	<1%	None	OK				Recycled Content: None Nanomaterials: No

CI Black 11	12227-89-3	<1%	H332(Acute Tox. 4)	OK				Recycled Content: None Nanomaterials: No
CI Blue 15:1	12239-87-1	<1%	None	OK				Recycled Content: None Nanomaterials: No
CI Yellow 42	5590-18-1	<1%	None	OK				Recycled Content: None Nanomaterials: No
CI Yellow 93	5580-57-4	<1%	None	OK				Recycled Content: None Nanomaterials: No
Calendered backing based on recycled materials and a non-woven glass tissue	N/A	60-70%	None	OK				Recycled Content: None Nanomaterials: No
Chalk	603-784-8	20-25%	None	OK				Recycled Content: None Nanomaterials: No
1,2-Cyclohexanedicarboxylic acid, diisononyl ester	166412-78-8	0-5%	None	OK				Recycled Content: None Nanomaterials: No
Mixture	Photopolymerizable varnish	<1%	H315(Skin Irrit. 2) H318(Skin Sens.) H317(Eye Dam. 1) H412(Aquatic Chronic 3)	OK				This mixture can cause skin and eye irritation if contacted. However, the manufacturer has an Occupational Health and Safety System in place, so the risks is considered low in the manufacturing stage. The substance is chemically combined into the final product, the hazards will not present in the final product. Therefore, it is not expected to casue harm to the users.
Dipropylene glycol diacrylate	57472-68-1	<1%	H315(Skin Irrit. 2) H318(Eye Dam. 1) H317(Eye Dam. 1)	OK				Dipropylene glycol diacrylate can cause skin and eye irritation if contacted. However, the manufacturer has an Occupational Health and Safety System in place, so the risks is considered low in the manufacturing stage. The substance is chemically combined into the final product, the hazards will not present in the final product. Therefore, it is not expected to casue harm to the users.
Aliphatic urethane Acrylate	Binder	0.5%	H315(Skin Irrit. 2) H319(Eye Irrit. 2)	OK				Aliphatic urethane Acrylate can cause skin and eye irritation if contacted. However, the manufacturer has an Occupational Health and Safety System in place, so the risks is considered low in the manufacturing stage. The substance is chemically combined into the final product, the hazards will not present in the final product. Therefore, it is not expected to casue harm to the users.
Tricyclodecane dimethanol diacrylate	42594-17-2	<1%	H317(Eye Dam. 1) H411(Aquatic Chronic 2)	OK				Tricyclodecane dimethanol diacrylate can cause skin and eye irritation if contacted. However, the manufacturer has an Occupational Health and Safety System in place, so the risks is considered low in the manufacturing stage. The substance is chemically combined into the final product, the hazards will not present in the final product. Therefore, it is not expected to casue harm to the users.
Aluminium oxide	1344-28-1	1-5%	None	OK				Recycled Content: None Nanomaterials: No
Silicon carbide	409-21-2	1-5%	None	OK				Recycled Content: None Nanomaterials: No

Poly(oxy-1,2-ethanediyl), aisodecyl-w-hydroxy-, reaction products with maleic anhydride)	144031-03-8	<1%	H318(Eye Dam. 1)	OK				Poly(oxy-1,2-ethanediyl), aisodecyl-w-hydroxy-, reaction products with maleic anhydride) can cause eye damage if contacted. However, the manufacturer has an Occupational Health and Safety System in place, so the risks is considered low in the manufacturing stage. The substance is chemically combined into the final product, the hazards will not present in the final product. Therefore, it is not expected to casue harm to the users.
Polyoxyalkylene derivatives	Air release additives	<1%	None	OK				Recycled Content: None Nanomaterials: No
Additive	Eliminate moisture	<1%	H318(Eye Dam. 1) H315(Skin Irrit. 2) H335(STOT SE 3)	OK				This additive can cause skin and eye irritation if contacted. However, the manufacturer has an Occupational Health and Safety System in place, so the risks is considered low in the manufacturing stage. The substance is chemically combined into the final product, the hazards will not present in the final product. Therefore, it is not expected to casue harm to the users.
Calcium oxide	1305-78-9	<1%	H318(Eye Dam. 1) H315(Skin Irrit. 2) H335(STOT SE 3)	OK				Calcium oxide can cause skin and eye irritation if contacted. However, the manufacturer has an Occupational Health and Safety System in place, so the risks is considered low in the manufacturing stage. The substance is chemically combined into the final product, the hazards will not present in the final product. Therefore, it is not expected to casue harm to the users.

COMMENTS:

VOC Emissions : Sum of VOC (TVOC) was below or equal to the limit values of 100ug/m3 after 28 days. The product qualified for the Tarkett Indoor Air Quality Gold label.(Eurofins Certification Body VOC).

